

595.70673

, A51

§ Insects

MEMOIRS
OF THE
AMERICAN ENTOMOLOGICAL SOCIETY
NUMBER 5

THE TYPES OF HYMENOPTERA IN THE ACADEMY
OF NATURAL SCIENCES OF PHILADELPHIA
OTHER THAN THOSE OF EZRA T. CRESSON

BY EZRA TOWNSEND CRESSON

Immediately after the completion of his "Cresson Types of Hymenoptera," my father began the listing of the hymenopterous types of other authors preserved in the collection. In a note found among his papers, he writes: "A list of the Cresson Types of Hymenoptera was published in these Memoirs¹ in 1916. The plan of segregation of types is practically the same in this [present] list, which concerns only those to be found in the Collection at the Academy of Natural Sciences of Philadelphia." The making of this list was a more difficult undertaking than the listing of his own types, necessitating searching for the description of those species of which a specimen labelled "TYPE" was found in the collection; or, searching for the specimen, the type of which was cited as being in the collection. Of the latter category, my father writes in a note: "A few type specimens described as being in the Collection have not yet been located. No doubt most of them have been overlooked or mislaid or not returned to the collection

¹ Mem. Am. Ent. Soc., no. 1.

and will eventually be found and put in their proper place in the type collection, which latter is arranged in metal, fire-proof cases and very carefully looked after."

The following letter to Mr. S. A. Rohwer of Washington, dated January 15, 1920 states in his own words, some of the difficulties encountered: "Before I go hence (now 82) I want to make a list of the *types* of Hymenoptera in the Collections here and publish it (as I did the "Cresson types") in the "Memoirs" of the Society this coming Spring. I would feel very grateful if you would aid me in the work as far as you can do so. I am enclosing here a number of slips (13) on which I need some data, e.g., references as to where the species were described; also information about location of types. Kindly give me these if you possibly can and *return the slips to me c/o American Entomological Society, Logan Square, Philadelphia*, and I shall be thankful for your help. I have most of the list ready for the printers, but there are some knots [nuts?] to crack such as are enclosed, about which I am obliged to ask assistance from yourself, Cockerell, Viereck and others, the papers describing the species being scattered all over creation and I have no means of finding out where they are but to write as I am."

The author would certainly have acknowledged the valuable assistance rendered by these friends who included also W. J. Fox and J. C. Crawford, and probably others whose notes and letters have not been preserved. Without such help many species would have had to be excluded from the list.

Locating, examining and recording the types was a matter of some detail which consumed many hours at the Academy, while the classifying of the species and the drafting of the manuscript was done at his desk at home, and at times only when such work was not too wearisome. The addition of new type material to the collection during this time, the adjustment of the doubtful cases, locating those which were supposed to be in the collection, necessitated many interpolations in the manuscript. In his endeavor to have as complete a list as possible, these delays were irksome and discouraging. His work on the list practically ceased during 1925 and his death occurred April 19, 1926.

In presenting this posthumous work I have not made any additions to the manuscript as my father left it, which practically closed with the year 1919, but have omitted all those doubtful cases which he had hoped to clear up. Consequently, owing to the many interpolations and corrections he had made, the manuscript was not in shape for publishing, and had to be recopied. For such errors as there may be I must therefore assume the responsibility. Unless otherwise stated the type specimen was found in good condition. An index to the list is included, which presents the species listed arranged according to their authors and should prove a useful adjunct.

This list does not include the types of Cynipidae described by H. S. Bassett. These have been listed and published by the present writer under the title "The Bassett Types of Cynipidae." *

E. T. CRESSON, JR.

June 1928

TENTHREDINIDAE

- abdominalis** (Lyda) Norton, Proc. Ent. Soc. Phila., i, 199.
10320. ♀. Pennsylvania. [Antennae wanting.]
- aenea** (Xyela) Norton, Trans. Am. Ent. Soc., iv, 86.
332. ♂. Texas.
- affinis** (Pachynematus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 97.
10252. ♀. Montana. [Antennae broken.]
- akhursti** (Lophyrus) Norton, Trans. Am. Ent. Soc., ii, 324.
288. ♀. New Jersey.
- albidopictus** (Taxonus) Norton, Trans. Am. Ent. Soc., ii, 213.
266. ♀. Virginia. [Antennae and abdomen damaged.]
- albidovariata** (Hemichroa) Norton, Trans. Am. Ent. Soc., iv, 81.
10318. ♀. Texas.
- amicus** (Taxonus) Norton, Trans. Am. Ent. Soc., ii, 213.
265. ♀. Canada.
- annulosus** (Strongylogaster) Norton, Trans. Am. Ent. Soc., ii, 221.
271. ♀. Massachusetts.
- antennatus** (Pteronus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 61.
10242. ♀. New Hampshire.

* Trans. Am. Ent. Soc., xlviii, p. 197-208.

(TENTHREDINIDAE Continued)

- apicalis** (*Pachynematus*) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 107.
10258. ♂. Montana.
- atriceps** (*Pteronus*) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 52.
10235. ♀. Nevada. [Antennae broken.]
- atriventris** (*Pontania*) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 38.
10231. ♀. Mount Hood, Oregon.
- attractus** (*Tenthredo*) Norton, Trans. Am. Ent. Soc., ii, 240.
205. ♀. English River, Hudson Bay Territory.
- aurantiacus** (*Pachynematus*) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 95.
10251. ♀. Montana. [Antennae wanting.]
- auratus** (*Pachynematus*) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 99.
10253. ♀. Montana.
- auratus** (*Pteronus*) Marlatt, U. S. Bur. Ent., Tec. Ser., iii, 60.
10240. ♀. Washington.
- bicolor** (*Pteronus*) Marlatt, U. S. Bur. Ent., Tec. Ser., iii, 56.
10238. ♀. Mount Hood, Oregon.
- borealis** (*Nematus*) Marlatt, Proc. Acad. Nat. Sci. Phil., 1892, 133.
10245. ♂. Disco Island, Greenland. [Tips of antennae wanting.]
- brunneus** (*Nematus*) Norton, Proc. Ent. Soc. Phil., iii, 8.
10323. ♀. Colorado.
- brunnicans** (*Lyda*) Norton, Proc. Ent. Soc. Phil., iii, 15.
293. ♀. Colorado.
- californicus** (*Pteronus*) Marlatt, U. S. Bur. Ent., Tec. Ser., iii, 60.
10241. ♀. California. [Antennae broken.]
- californicus** (*Tenthredo*) Norton, Proc. Ent. Soc. Phil., i, 198.
283. ♀. California. [Antennae damaged.]
- canadensis** (*Scolioneura*) Marlatt, Proc. Ent. Soc. Wash., iii, 235.
10222. ♀. Canada.
- capitalis** (*Selandria*) Norton, Trans. Am. Ent. Soc., i, 247.
10338. ♀. Brooklyn, New York.
- capitulum** (*Perreyia*) Norton, Trans. Am. Ent. Soc., i, 223.
282. ♂. Mexico. [Only wings & notum intact.]
- caprifolium** (*Abia*) Norton, Trans. Am. Ent. Soc., i, 46.
314. ♀. Illinois. [Antennae wanting.]
- carolinensis** (*Pachynematus*) Marlatt, U. S. Bur. Ent., Tec. Ser., iii, 109.
10261. ♂. North Carolina.
- carolinensis** (*Pristiphora*) Marlatt, U. S. Bur. Ent., Tec. Ser., iii, 120.
10224. ♂. North Carolina. [Half of right antennae wanting.]
- caryae** (*Selandria*) Norton, Packard's Guide to Study of Ins., 1869, p. 224.
10339. ♀. Farmington, Connecticut.
- ceruleus** (*Hylotoma*) Norton, Proc. Ent. Soc. Phil., iii, 5.
353. ♀. Pennsylvania.

(TENTHREDINIDAE Continued)

- coccinifera** (Dolerus) Norton, Trans. Am. Ent. Soc., iv, 82.
10310. ♀. San Francisco, California.
- coloradensis** (Pristiphora) Marlatt, U. S. Bur. Ent., Tec. Ser., iii, 121.
10225. ♂. Colorado. [Antennae & right legs broken.]
- coloradensis** (Pteronus) Marlatt, U. S. Bur. Ent., Tec. Ser., iii, 52.
10236. ♀. Colorado.
- consobrina** (Hylotoma) Norton, Trans. Am. Ent. Soc., iv, 78.
355. ♀. Mexico.
- cordoviensis** (Dictynna) Norton, Trans. Am. Ent. Soc., iv, 81.
10305. ♂. Cordova, Mexico.
- cressoni** (Pontania) Marlatt, U. S. Bur. Ent., Tec. Ser., iii, 26.
10228. ♀. Washington. [Antennae & legs broken.]
- curtus** (Fenusa) Norton, Proc. Ent. Soc. Phil., i, 199.
10317. ♀. Pennsylvania. [Wings damaged.]
- dejectus** (Allantus) Norton, Jour. Bost. Soc. Nat. Hist., vii, 249.
10301. ♂. Brooklyn, New York. [Hind tarsi wanting.]
- dissimilis** (Tenthredo) Norton, Jour. Bost. Soc. Nat. Hist., vii, 250.
207. ♀. North Illinois.
- distinctus** (Dolerus) Norton, Trans. Am. Ent. Soc., iv, 82.
10311. ♀. San Francisco, California. [Antennae wanting & tarsi damaged.]
- ebenus** (Schizocerus) Norton, Trans. Am. Ent. Soc., i, 25.
343. ♂. New York.
- edwardsii** (Lophyrus) Norton, Trans. Am. Ent. Soc., ii, 330.
290. ♂. San Francisco, California. [Head & abdomen wanting.]
- erythrogaster** (Nematus) Norton, Proc. Ent. Soc. Phil., iii, 8.
10324. ♀. Massachusetts.
- eurythmia** (Macrophya) Norton, Trans. Am. Ent. Soc., i, 276.
255. ♀. English River, Hudson Bay Territory.
- excavatus** (Allantus) Norton, Proc. Ent. Soc. Phil., i, 143.
244. ♀. Maryland.
- excavatus** (Amauronematus) Marlatt, U. S. Bur. Ent., Tec. Ser., iii, 85.
10247. ♀. [No locality given.]
- eximius** (Tenthredo) Norton, Trans. Am. Ent. Soc., ii, 231.
206. ♂. Maine.
- extensicornis** (Nematus) Norton, Proc. Bost. Soc. N.H., viii, 159.
10325. ♂. Mt. Washington, New Hampshire. [Only thorax & wings intact.]
- facialis** (Macrophya) Norton, Trans. Am. Ent. Soc., i, 276.
256. ♀. Farmington, Connecticut.
- fallax** (Nematus) Norton, Trans. Am. Ent. Soc., i, 198.
518. ♂. Labrador. [Only a few remains intact.]
- fasciata** (Lyda) Norton, Proc. Ent. Soc. Phil., i, 200.
311. ♀. Pennsylvania.

(TENTHREDINIDAE Continued)

- fasciatus** (Selandria) Norton, Proc. Ent. Soc. Phil., iii, 9.
10340. ♀. Massachusetts.
- fascipennis** (Selandria) Norton, Trans. Am. Ent. Soc., iv, 84.
10341. ♀. Mexico.
- formosus** (Tenthredo) Norton, Proc. Ent. Soc. Phil., iii, 14.
201. ♀. Massachusetts.
- foveatus** (Pteronus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 55.
10237. ♀. Washington. [Abdomen partly destroyed.]
- fraternalis** (Hemichroa) Norton, Trans. Am. Ent. Soc., iv, 81.
10319. ♂. Texas. [Antennae wanting.]
- fuliginosus** (Macrophya) Norton, Trans. Am. Ent. Soc., i, 273.
250. ♀. Illinois. [Head wanting.]
- fulviventris** (Strongylogaster) Norton, Trans. Am. Ent. Soc., ii, 222.
279. ♂. Angang, Mexico.
- graminis** (Pachynematus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 100.
10254. ♀. Nevada. [Antennae wanting.]
- hoodii** (Pachynematus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 104.
10257. ♀. Mt. Hood, Oregon.
- hoodi** (Pristiphora) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 119.
10223. ♀. Mt. Hood, Oregon. [Antennae wanting.]
- hudsonicus** (Nematus) Norton, Trans. Am. Ent. Soc., i, 207.
10326. ♀. Fort Good Hope, Mackenzie River, Hudson Bay Territory. [Only thorax and wings intact.]
- hyalina** (Messa) Norton, Proc. Ent. Soc. Phil., iii, 8.
10322. ♀. New Jersey.
- identidem** (Pristiphora) Norton, Trans. Am. Ent. Soc., i, 77.
10336. ♀. Illinois.
- idiota** (Pristiphora) Norton, Trans. Am. Ent. Soc., i, 77.
10337. ♂. Illinois.
- ignotus** (Selandria) Norton, Trans. Am. Ent. Soc., i, 257.
10342. ♀. Maine.
- inaequidens** (Selandria) Norton, Trans. Am. Ent. Soc., iv, 84.
10343. ♀. Texas.
- inflata** (Zarea) Norton, Proc. Bost. Soc. N. H., viii, 151.
312. ♀. Connecticut. [Antennae & abdomen partly destroyed.]
- kennicotti** (Abia) Norton, Trans. Am. Ent. Soc., i, 46.
315. ♂. "H. B. T." on label. [Head wanting and body partly destroyed.]
- labradoris** (Nematus) Norton, Trans. Am. Ent. Soc., i, 196.
10327. ♀. Labrador.
- lanuginosa** (Trichiosoma) Norton, Trans. Am. Ent. Soc., i, 44.
339. ♀. Sierra City, California. [Antennae wanting, also hind tibiae.]
- lateralis** (Dineura) Norton, Trans. Am. Ent. Soc., i, 240.
10307. ♀. Brunswick, Maine. [Thorax & abdomen partly destroyed.]

(TENTHREDINIDAE Continued)

- lateralis** (Nematus) Norton, Trans. Am. Ent. Soc., i, 211.
10328. ♀. Brunswick, Maine. [Only thorax & wings intact.]
- laticulus** (Craesus) Norton, Trans. Am. Ent. Soc., ii, 368.
10303. ♀. Massachusetts.
- latitarsus** (Craesus) Norton, Proc. Ent. Soc. Phil., i, 199.
10304. ♀. Pennsylvania.
- latus** (Pteronus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 48.
10234. ♀. Massachusetts.
- lineatus** (Strongylogaster) Norton, Trans. Am. Ent. Soc., ii, 223.
280. ♂. Angang, Mexico.
- linitus** (Dineura) Norton, Trans. Am. Ent. Soc., i, 240.
10308. ♀. Brunswick, Maine.
- longipennis** (Selandria) Norton, Trans. Am. Ent. Soc., iv, 84.
10344. ♀. Cordova, Mexico. [Antennae wanting.]
- longulus** (Strongylogaster) Norton, Trans. Am. Ent. Soc., ii, 220.
268. ♀. Massachusetts.
- luteolus** (Nematus) Norton, Trans. Am. Ent. Soc., i, 200.
10329. ♂. Maine. [Antennae & abdomen wanting.]
- maculicollis** (Dosytheus) Norton, Proc. Bost. Soc. N. H., viii, 154.
10314. ♀. Brooklyn, New York. [Antennae broken.]
- magus** (Pteronus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 67.
10243. ♀. Canada.
- malacus** (Nematus) Norton, Trans. Am. Ent. Soc., i, 196.
10330. ♀. Labrador. [Only top of thorax & wings intact.]
- marylandicus** (Nematus) Norton, Proc. Ent. Soc. Phil., iii, 7.
10331. ♂. Maryland. [Antennae wanting.]
- medius** (Selandria) Norton, Proc. Ent. Soc. Phil., iii, 9.
10345. ♀. New Jersey.
- meritorius** (Strongylogaster) Norton, Trans. Am. Ent. Soc., ii, 221.
277. ♀. Cuantla, Mexico.
- minor** (Xyela) Norton, Trans. Am. Ent. Soc., ii, 349
333. ♀. Massachusetts.
- multicinctus** (Strongylogaster) Norton, Proc. Ent. Soc. Phil., i, 143.
270. ♀. Virginia.
- multisignata** (Lyda) Norton, Proc. Ent. Soc. Phil., iii, 15.
324. ♀. Colorado.
- mutans** (Tenthredo) Norton, Trans. Am. Ent. Soc., ii, 236.
229. ♂. Canada.
- nevadensis** (Pachynematus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 110.
10260. ♂. Nevada. [Antennae broken.]
- niger** (Ptenos) Norton, Trans. Am. Ent. Soc., iv, 77.
352. ♂. Texas.

(TENTHREDINIDAE Continued)

- nigrifascia** (Tenthredo) MacGillivray, Can. Ent., xxxii, 184.
233. ♀. Olympia, Washington.
- nigritorius** (Strongylogaster) Norton, Trans. Am. Ent. Soc., ii, 222.
278. ♂. Cuantla, Mexico.
- nigropectus** (Ptenos) Norton, Trans. Am. Ent. Soc., iv, 77.
350. ♂. Texas.
- nubilipennis** (Selandria) Norton, Trans. Am. Ent. Soc., i, 252.
10346. ♀. Massachusetts.
- obsoletum** (Selandria) Norton, Trans. Am. Ent. Soc., i, 254.
10417. ♀. Massachusetts.
- occidentalis** (Pachynematus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 109.
10249. ♂. Washington.
- omega** (Macrophya-Pachyprotasis) Norton, Trans. Am. Ent. Soc., i, 280.
261. ♀. Massachusetts.
- oregonensis** (Amauronematus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 80.
10246. ♀. Mt. Hood, Oregon. [Antennae wanting.]
- pacifica** (Potania) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 35.
10229. ♀. Southern California.
- pallidicornis** (Strongylogaster) Norton, Trans. Am. Ent. Soc., ii, 216.
267. ♀. Brooklyn, New York.
- parvus** (Dineura) Norton, Trans. Am. Ent. Soc., i, 241.
10309. ♂. Farmington, Connecticut.
- pectoralis** (Tenthredo) Norton, Proc. Ent. Soc. Phil., iii, 11.
216. ♂. Colorado.
- pergandei** (Nematus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 90.
10250. ♀. Washington, District of Columbia. [Hind & middle legs wanting.]
- pinus-rigida** (Lophyrus) Norton, Packard's Guide to Study of Ins., 1869, 225.
287. ♀. Eastham, Massachusetts. [Antennae wanting.]
- politus** (Dictynna) Norton, Trans. Am. Ent. Soc., iv, 81.
10306. ♂. Cordova, Mexico. [Antennae wanting.]
- pontanioides** (Nematus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 89.
10248. ♀. Mt. Hood, Oregon.
- privatus** (Schizocerus) Norton, Trans. Am. Ent. Soc., i, 56.
346. ♀. New Orleans, Louisiana.
- punctulatus** (Pachynematus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 103.
10256. ♀. New Hampshire. [Antennae wanting.]
- 14-punctatus** (Tenthredo) Norton, Proc. Ent. Soc. Phil., i, 143.
262. ♀. Virginia.
- robustus** (Pachynematus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 102.
10255. ♀. Montana. [Antennae broken.]
- ruficollis** (Atomacera) Norton, Proc. Ent. Soc. Phil., iii, 6.
317. ♀. Pennsylvania.

(TENTHREDINIDAE Continued)

- ruficolor** (Tenthredo) Norton, Trans. Am. Ent. Soc., ii, 228.
204. ♀. Canada.
- rufo-fasciata** (Nematus) Norton, Trans. Am. Ent. Soc., i, 205.
10332. ♀. Makenzie River, Hudson Bay Territory. [Specimen nearly destroyed.]
- rufopedibus** (Tenthredo) Norton, Proc. Ent. Soc. Phil., iii, 15.
209. ♂. Pennsylvania.
- salicicola** (Euura) E. A. Smith, N. Am. Entom., i, 41.
10226. ♂. Peoria, Illinois.
- semicinctus** (Lyda) Norton, Proc. Ent. Soc. Phil., i, 144.
327. ♀. Virginia.
- semirubra** (Tenthredo) Norton, Proc. Ent. Soc. Phil., iii, 14.
10409. ♀. Massachusetts. [Antennae & tarsi broken.]
- semirufus** (Tenthredo) Norton, Proc. Ent. Soc. Phil., iii, 12.
212. ♀. Colorado.
- sericeus** (Schizocerus) Norton, Trans. Am. Ent. Soc., i, 55.
347. ♀. Maine.
- simplificornis** (Cladius) Norton, Trans. Am. Ent. Soc., ii, 367.
10302. ♂. Maine.
- stigmatalis** (Potania) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 39.
10232. ♀. Mt. Hood, Oregon.
- subalbatus** (Nematus) Norton, Proc. Ent. Soc. Phil., iii, 7.
10333. ♀. Pennsylvania. [Antennae wanting.]
- sulphurea** (Potania) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 41.
10233. ♀. Montana.
- sumichrasti** (Selandria) Norton, Trans. Am. Ent. Soc., iv, 82.
10347. ♀. Cordova, Mexico.
- texana** (Ptilia-Ptenos) Norton, Trans. Am. Ent. Soc., ii, 367.
351. ♀. Texas.
- thoracicus** (Pachynematus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 108.
10259. ♂. Montana.
- tibialis** (Pristiphora) Norton, Trans. Am. Ent. Soc., i, 76.
10418. ♀. Virginia.
- tibiator** (Macrophya) Norton, Proc. Ent. Soc. Phil., iii, 10.
249. ♀. Massachusetts.
- tricolor** (Pteronus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 56.
10239. ♀. New Hampshire. [Antennae wanting.]
- tricolor** (Xyela) Norton, Proc. Ent. Soc. Phil., i, 144.
331. ♂. Kansas.
- trilineatus** (Nematus) Norton, Trans. Am. Ent. Soc., i, 215.
10334. ♀. Canada.
- trivittatus** (Nematus) Norton, Trans. Am. Ent. Soc., i, 218.
10419. ♀. Illinois. [Antennae wanting; abdomen broken.]

(TENTHREDINIDAE Continued)

- truncata** (Pontania) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 38.
10230. ♀. Southern California. [Antennae broken]
- unicinctus** (Allantus) Norton, Proc. Ent. Soc. Phil., iii, 9.
239. ♀. Colorado.
- unicolor** (Pteronus) Marlatt, U. S. Bur. Ent., Tech. Ser., iii, 72.
10244. ♀. California. [Antennae wanting.]
- unicus** (Strongylogaster) Norton, Proc. Bost. Soc. N. H., ix, 120.
276. ♀. New York.
- varians** (Tenthredo) Norton, Trans. Am. Ent. Soc., ii, 235.
226. ♂. Canada.
- variatus** (Tenthredo) Norton, Proc. Ent. Soc. Phil., iii, 12.
218. ♀. Colorado.
- varicolor** (Pachylota) Norton, Trans. Am. Ent. Soc., iv, 79.
356. ♀. Mexico.
- variegatus** (Tenthredo) Norton, Proc. Ent. Soc. Phil., iii, 12.
220. ♂. Colorado.
- varius** (Allantus) Norton, Jour. Bost. Soc. N. H., vii, 240.
254. ♀. Farmington, Connecticut.
- versa** (Dolerus) Norton, Trans. Am. Ent. Soc., i, 239.
10312. ♀. Massachusetts.
- versicolor** (Emphytus) Norton, Trans. Am. Ent. Soc., i, 230.
10316. ♀. Illinois. [Only thorax & wings remaining.]
- winnepeg** (Nematus) Norton, Trans. Am. Ent. Soc., i, 60.
10335. ♀. Lake Winnepeg, Hudson Bay Territory. [In poor condition.]
- xanthus** (Tenthredo) Norton, Proc. Ent. Soc. Phil., iii, 13.
202. ♀. Pikes Peak, Colorado.
- yukonensis** (Dolerus similis) Norton, Trans. Am. Ent. Soc., iv, 82.
10313. ♀. Alaska.
- zonalis** (Macrophya) Norton, Proc. Ent. Soc. Phil., iii, 11.
253. ♀. Massachusetts.

URO CERIDAE

- attenuatus** (Xiphidria) Norton, Proc. Ent. Soc. Phila., i, 144.
10354. ♂. Pennsylvania.
- bimaculatus** (Phylloecus) Norton, Trans. Am. Ent. Soc., ii, 200.
10350. ♂. Farmington, Connecticut.
- cinctus** (Cephus) Norton, Trans. Am. Ent. Soc., iv, 86.
10349. ♂. Colorado.
- clavata** (Phylloecus) Norton, Trans. Am. Ent. Soc., ii, 345.
10351. ♀. San Francisco, California. [Only thorax and wings intact.]
- cressoni** (Urocerus) Norton, Proc. Ent. Soc. Phila., iii, 16.
10352. ♀. Pennsylvania.

(UROCERIDAE Continued)

- konowii** (Caenocephus) Bradley, Can. Ent., xxxvii, 364.
10356. ♂. Washington.
- obesus** (Sirex) Bradley, Jour. Ent. & Zool., v, 12.
10355. ♀. Arizona.
- zonatus** (Urocerus) Norton, Trans. Am. Ent. Soc., ii, 357.
10353. ♂. New York.

EVANIIDAE

- cressoni** (Fœnus) Bradley, Trans. Am. Ent. Soc., xxxiv, 113.
4846. ♀. Massachusetts. [Abdomen & right wings detached.]
- flavicrurus** (Deraiodontus) Bradley, Trans. Am. Ent. Soc., xxvii, 322.
4853. ♀. Virginia. [Apex of right antenna wanting.]
- floridanus** (Fœnus) Bradley, Trans. Am. Ent. Soc., xxxiv, 112.
4847. ♀. Enterprize, Florida.
- fragilis** (Fœnus) Bradley, Trans. Am. Ent. Soc., xxxiv, 111.
4845. ♀. Montana. [Antennae broken.]
- fuscalatus** (Deraiodontus) Bradley, Trans. Am. Ent. Soc., xxvii, 322.
4852. ♀. Washington. [Antennae broken.]
- nevadæ** (Fœnus) Bradley, Trans. Am. Ent. Soc., xxxiv, 114.
4849. ♀. Nevada.
- subfirmus** (Oleisoprister) Viereck, Trans. Am. Ent. Soc., xxvii, 325.
4850. ♀. Riverton, New Jersey. [Right antenna broken.]
- torridus** (Fœnus) Bradley, Trans. Am. Ent. Soc., xxxiv, 118.
4848. ♀. Mexico. [Antennae damaged; abdomen detached.]
- urbana** (Evania) Bradley, Trans. Am. Ent. Soc., xxxiv, 140.
4851. ♂. Philadelphia, Pennsylvania.

TRIGONALIDAE

- sulcatus** (Trigonalys) Davis, Trans. Am. Ent. Soc., xxiv, 349.
4489. ♂. Anglesea, New Jersey.

ICHNEUMONIDAE

- abbreviatus** (Exetastes) Davis, Trans. Am. Ent. Soc., xxiv, 366.
162. ♀. Mt. Washington, New Hampshire.
- aciculatus** (Cremastus) Davis, Trans. Am. Ent. Soc., xxiv, 364.
4463. ♂. Michigan.
- aciculatus** (Exotylus) Davis, Trans. Am. Ent. Soc., xxiv, 354.
4482. ♀. New York.
- aciculatus** (Monoblastus) Davis, Trans. Am. Ent. Soc., xxiv, 262.
4322. ♂. Montana.

(ICHNEUMONIDAE Continued)

- adillæ** (Echthrus) Davis, Trans. Am. Ent. Soc., xxii, 32.
4452. ♂. Washington. [Left antenna wanting.]
- adonis** (Cratichneumon) Viereck, Trans. Am. Ent. Soc., xxix, 77.
4857. ♂. Beulah, New Mexico.
- alamagnus** (Exotylus) Davis, Trans. Am. Ent. Soc., xxiv, 355.
4475. ♂. Colorado.
- albinopennis** (Phobetres) Davis, Trans. Am. Ent. Soc., xxiv, 311.
4389. ♂. South Dakota.
- albipes** (Homaspis) Davis, Trans. Am. Ent. Soc., xxiv, 308.
4383. ♀. New York. [Left middle and hind legs wanting.]
- alboinictus** (Euryproctus) Davis, Trans. Am. Ent. Soc., xxiv, 328.
4418. ♀. Mt. Washington, New Hampshire.
- albopictus** (Homotrophus bicapillaris) Davis, Trans. Am. Ent. Soc., xxii, 28.
4266. ♀. Colorado.
- albo punctus** (Euryproctus) Davis, Trans. Am. Ent. Soc., xxiv, 328.
4419. ♀. Mt. Washington, New Hampshire.
- alborhombarta** (Clistopyga) Davis, Ent. News, vi, 198.
4437. ♀. Florida.
- aldrichii** (Glypta) Davis, Trans. Am. Ent. Soc., xxiv, 370.
172. ♀. Moscow, Idaho.
- alpinus** (Anomalon) Davis, Trans. Am. Ent. Soc., xxiv, 360.
158. ♀. Mt. Craig, Idaho.‡
- angularia** (Adexioma) Davis, Trans. Am. Ent. Soc., xxiv, 284.
4344. ♀. Washington.
- angulatus** (Eremotylus macrurus) Hooker, Trans. Am. Ent. Soc., xxxviii, 144.
4006. ♀. Porto Rico. [Antennae & abdomen incomplete.]
- angusta** (Lampronota) Davis, Trans. Am. Ent. Soc., xxii, 30.
4441. ♀. Michigan.
- annulata** (Lampronota) Davis, Trans. Am. Ent. Soc., xxii, 31.
4442. ♂. Michigan.
- antennatus** (Zootrephes) Davis, Trans. Am. Ent. Soc., xxii, 23.
4260. ♀. North Illinois.
- apalachia** (Nadia) Viereck, Can. Ent., xxxiv, 68.
10215. ♂. Connecticut.
- apicatus** (Arotres) Davis, Trans. Am. Ent. Soc., xxiv, 366.
164. ♀. Michigan.
- apicatus** (Trogus) Davis, Trans. Am. Ent. Soc., xxiv, 352.
178. ♂. Crawford Notch, New Hampshire.
- areolata** (Glypta) Viereck, Trans. Am. Ent. Soc., xxix, 89.
4867. ♀. Beulah, New Mexico.
- areolatus** (Diedrus) Davis, Trans. Am. Ent. Soc., xxiv, 324.
4412. ♀. New Hampshire.

(ICHNEUMONIDAE Continued)

- areolatus** (Mesochorus) Viereck, Trans. Am. Ent. Soc., xxix, 92.
4870. ♀. Beulah, New Mexico.
- ariel** (Harrimaniella) Viereck, Trans. Am. Ent. Soc., xxix, 86.
10218. ♂. Beulah, New Mexico. [Antennae wanting.]
- artemis** (Cratichneumon) Viereck, Ent. News, xiii, 87.
4856. ♀. Colorado.
- articularis** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 300.
4375. ♀. Washington. [Left antenna wanting.]
- articulatus** (Exyston) Davis, Trans. Am. Ent. Soc., xxiv, 239.
4297. ♂. Montana.
- asperus** (Camerotops) Davis, Trans. Am. Ent. Soc., xxiv, 226.
4285. ♀. Algonquin, Illinois.
- atripes** (Tryphon communis) Davis, Trans. Am. Ent. Soc., xxiv, 282.
4339. ♀. North Illinois.
- audax** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 299.
4372. ♀. New Hampshire.
- australis** (Limnerium) Viereck, Trans. Am. Ent. Soc., xxix, 91.
4894. ♀. Beulah, New Mexico. [Antennae damaged.]
- bakeri** (Platylabus) Davis, Trans. Am. Ent. Soc., xxiv, 352.
4453. ♂. Ann Arbor, Michigan. [Antennae broken.]
- basilicon** (Anomalon) Davis, Trans. Am. Ent. Soc., xxiv, 359.
156. ♀. Moscow, Idaho.
- basilicus** (Camponastes) Davis, Trans. Am. Ent. Soc., xxiv, 292.
4342. ♀. Vermont. [Right antenna wanting.]
- basilicus** (Epachtes) Davis, Trans. Am. Ent. Soc., xxiv, 283.
4343. ♀. Colorado.
- beulahensis** (Phæogenes) Viereck, Trans. Am. Ent. Soc., xxix, 80.
4891. ♂. Beulah, New Mexico.
- bibrevicincta** (Lampronota) Davis, Trans. Am. Ent. Soc., xxii, 31.
4443. ♀. Michigan. [Abdomen wanting; antennae broken.]
- bicarinata** (Polysphincta) Davis, Trans. Am. Ent. Soc., xxiv, 368.
168. ♂. Moscow, Idaho.
- bidens** (Otoblastus) Davis, Trans. Am. Ent. Soc., xxiv, 273.
4326. ♂. Michigan.
- bipartitana** (Anomalon) Davis, Trans. Am. Ent. Soc., xxiv, 358.
155. ♂. Michigan.
- bituminosus** (Euryproctus) Davis, Trans. Am. Ent. Soc., xxiv, 328.
4417. ♀. New Hampshire.
- blanchardi** (Ichneumon) Davis, Trans. Am. Ent. Soc., xxiv, 350.
4484. ♀. Mt. Lafayette, New Hampshire.
- borealis** (Exotylyus) Davis, Trans. Am. Ent. Soc., xxiv, 355.
4476. ♂. Hudson Bay Territory.

(ICHNEUMONIDAE Continued)

- boreatis** (Exyston) Davis, Trans. Am. Ent. Soc., xxiv, 238.
4295. ♀. Hudson Bay Territory. [Left antenna wanting.]
- brevicorpa** (Rhimphalea) Davis, Trans. Am. Ent. Soc., xxiv, 274.
4329. ♀. Algonquin, Illinois. [Antennae wanting.]
- brevis** (Exotylus) Davis, Trans. Am. Ent. Soc., xxiv, 355.
4477. ♀. Michigan.
- bullata** (Lampronota) Davis, Trans. Am. Ent. Soc., xxii, 30.
4444. ♀. Washington.
- canaliculatus** (Porizon) Viereck, Trans. Am. Ent. Soc., xxix, 93.
4896. ♂. Beulah, New Mexico.
- catomus** (Xylonomus) Davis, Trans. Am. Ent. Soc., xxiv, 372.
176. ♀. Moscow, Idaho.
- clavatum** (Anomalon) Davis, Trans. Am. Ent. Soc., xxiv, 357.
152. ♀. South Dakota.
- clavipes** (Anomalon) Davis, Trans. Am. Ent. Soc., xxiv, 359.
157. ♂. Michigan.
- cockerelli** (Craticheumon) Viereck, Trans. Am. Ent. Soc., xxix, 76.
4858. ♂. Beulah, New Mexico. [Left antenna wanting.]
- coloradensis** (Zemiodes) Davis, Trans. Am. Ent. Soc., xxiv, 323.
4410. ♀. Colorado. [Left antenna wanting.]
- commodus** (Eurylabus) Davis, Trans. Am. Ent. Soc., xxiv, 354.
4459. ♂. Washington. [Hind tarsi wanting.]
- compacta** (Casinaria) Davis, Trans. Am. Ent. Soc., xxiv, 362.
4472. ♀. Colorado.
- componotus** (Pimpla) Davis, Trans. Am. Ent. Soc., xxiv, 367.
4434. ♂. Moscow, Idaho.
- compos** (Alexeter) Davis, Trans. Am. Ent. Soc., xxiv, 321.
4408. ♂. Canada. [Right antenna wanting.]
- comptus** (Meniscus) Davis, Can. Ent. xxvi, 322.
4448. ♀. Michigan. [Left antenna broken.]
- conformus** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 300.
4374. ♀. New Hampshire.
- consors** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 297.
4366. ♀. New Hampshire. [Antennae wanting.]
- constrictus** (Chorinaeus) Davis, Trans. Am. Ent. Soc., xxiv, 207.
4271. ♀. Franconia, New Hampshire.
- contentionis** (Plectiscidea) Viereck, Bull. 22. Conn. Geol. & N. H. Surv., 276.
10195. ♀. New York. [Abdomen wanting.]
- contortionis** (Lamachus?) Davis, Trans. Am. Ent. Soc., xxiv, 284.
4345. ♀. District of Columbia.
- contracta** (Exyston) Davis, Trans. Am. Ent. Soc., xxiv, 238.
4296. ♂. Nevada.

(ICHNEUMONIDAE Continued)

- contractus** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 297.
4367. ♀. Canada. [Left antenna wanting.]
- convergens** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 296.
4361. ♀. New Hampshire.
- convexus** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 298.
4369. ♀. New Hampshire.
- cookii** (Cremastus) Weed, Ent. Amer., iv, 150.
4875. ♂. Anna, Illinois. [Antennae and hind legs broken.]
- costatus** (Chorinæus) Davis, Trans. Am. Ent. Soc., xxiv, 211.
4275. ♀. New Hampshire.
- coxatus** (Hadrodactylus elongatus) Davis, Trans. Am. Ent. Soc., xxiv, 320.
4405. ♀. Michigan.
- cressoni** (Agrothereutes-Itamoplex) Viereck, Bull. 22, Conn. G. & N. H. Surv. 331.
4884. ♀. Connecticut.
- cressoni** (Enicospilus) Hooker, Trans. Am. Ent. Soc., xxxviii, 62.
4004. ♀. Mexico. [Right antenna damaged.]
- cressoni** (Holmgrenia) Davis, Trans. Am. Ent. Soc., xxiv, 293.
4358. ♀. Texas. [Tips of antennae wanting.]
- cressonii** (Cidaphurus) Viereck, Can. Ent. xxxiv, 69.
4892. ♀. Massachusetts.
- cressonii** (Syrphoctonus) Davis, Trans. Am. Ent. Soc. xxii, 27.
4265. ♀. Nevada. [Both antennae wanting.]
- cubensis** (Ophion) Norton, Proc. Ent. Soc. Phil., i, 358.
79. ♀. Cuba.
- cultriformis** (Otoblastus) Davis, Trans. Am. Ent. Soc., xxiv, 273.
4327. ♀. Colorado.
- cultus** (Exotylus) Davis, Trans. Am. Ent. Soc., xxiv, 355.
4478. ♀. Colorado.
- curvator** (Euryproctus) Davis, Trans. Am. Ent. Soc., xxiv, 329.
4423. ♂. Canada.
- curvineura** (Anecphysis) Davis, Trans. Am. Ent. Soc., xxiv, 234.
10413. ♂. New York. [Left antenna and fore left wing wanting.]
- cymbaformis** (Prosmosus) Davis, Trans. Am. Ent. Soc., xxiv, 309.
4387. ♀. Illinois.
- dakotaensis** (Euryproctus) Davis, Trans. Am. Ent. Soc., xxiv, 330.
4424. ♂. Brookings, South Dakota.
- dakotaensis** (Exotylus) Davis, Trans. Am. Ent. Soc., xxiv, 354.
4432. ♂. South Dakota.
- defensator** (Pimpla) Davis, Trans. Am. Ent. Soc., xxiv, 367.
166. ♀. Michigan.
- difficilis** (Rhæstes) Davis, Trans. Am. Ent. Soc., xxiv, 312.
4391. ♂. Colorado. [Left antenna wanting.]

(ICHNEUMONIDAE Continued)

- discoenis** (Ichneumon) Fox, Proc. Acad. Nat. Sci. Phil., 1892, 134.
4861. ♂. Disco Island, Greenland.
- duplicatiformis** (Barichneumon) Viereck, Bull. 22, Conn. Geol. & N. H. Surv., 354.
10196. ♂. Connecticut.
- ebenus** (Agrothereutes-Itamoplex) Viereck, Bull. 22, Conn. Geol. & N. H. Surv., 331.
4883. ♀. Massachusetts.
- edemæ** (Anomalon) Davis, Trans. Am. Ent. Soc., xxiv, 360.
4468. ♀. Michigan.
- egregius** (Mesoleptus) Davis, Trans. Am. Ent. Soc., xxiv, 317.
4400. ♂. Washington.
- electra** (Lissonota) Viereck, Trans. Am. Ent. Soc., xxix, 84.
10219. ♀. Beulah, New Mexico. [Antennae wanting.]
- elongatum** (Anomalon) Davis, Trans. Am. Ent. Soc., xxiv, 357.
154. ♀. Brookings, South Dakota.
- elongatus** (Ateleuti) Davis, Trans. Am. Ent. Soc., xxiv, 362.
161. ♀. Atlantic City, New Jersey.
- elongatus** (Ophion bilineata) Hooker, Trans. Am. Ent. Soc., xxxviii, 30.
4003. ♀. Colorado.
- erodens** (Otoblastus) Davis, Trans. Am. Ent. Soc., xxiv, 273.
4328. ♀. Colorado.
- exareolatus** (Spilocryptus) Viereck, Trans. Am. Ent. Soc., xxix, 81.
4886. ♂. Beulah, New Mexico. [Left antenna and hind tarsi wanting.]
- excavata** (Eriglœa) Davis, Trans. Am. Ent. Soc., xxiv, 275.
4332. ♀. Montana.
- excavatus** (Notopygus) Davis, Trans. Am. Ent. Soc., xxiv, 309.
4385. ♀. Nevada. [Left antenna, right, middle and hind legs wanting.]
- excessorius** (Chorinaeus) Davis, Trans. Am. Ent. Soc., xxiv, 209.
4272. ♀. Washington.
- expansa** (Scopiorus) Davis, Trans. Am. Ent. Soc., xxiv, 258.
4317. ♂. Montana.
- exploratus** (Exetastes) Davis, Trans. Am. Ent. Soc., xxiv, 365.
177. ♀. South Dakota.
- extricatus** (Scopiorus) Davis, Trans. Am. Ent. Soc., xxiv, 259.
4319. ♀. Colorado.
- faciens** (Euceros) Davis, Trans. Am. Ent. Soc., xxiv, 256.
4316. ♂. Washington. [Tips of antennae wanting.]
- faciens** (Ichneumon) Davis, Trans. Am. Ent. Soc., xxiv, 350.
4485. ♂. Colfax, Idaho.
- fasciatus** (Dialges) Davis, Trans. Am. Ent. Soc., xxiv, 286.
4349. ♂. Massachusetts. [Hind legs damaged.]
- femoratus** (Catoglyptus) Davis, Trans. Am. Ent. Soc., xxiv, 310.
4388. ♀. Colorado.

(ICHNEUMONIDAE Continued)

- femoratus** (Hadrodactylus) Davis, Trans. Am. Ent. Soc., xxiv, 320.
4406. ♀. New York. [Right antenna wanting.]
- fenella** (Lissonota) Viereck, Trans. Am. Ent. Soc., xxix, 83.
10220. ♀. Beulah, New Mexico.
- feria** (Otlophorus innumerabilis) Davis, Trans. Am. Ent. Soc., xxiv, 276.
4335. ♀. New York.
- ferrugineus** (Cremastus) Davis, Trans. Am. Ent. Soc., xxiv, 364.
4464. ♀. Algonquin, Illinois.
- ferrugineus** (Thyreodon) Hooker, Trans. Am. Ent. Soc., xxxviii, 121.
4005. ♂. Mexico. [Head and abdomen imperfect.]
- fidelis** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 297.
4364. ♀. New Hampshire. [Hind tarsi wanting.]
- flageliatus** (Proclitus) Davis, Trans. Am. Ent. Soc., xxiv, 246.
4310. ♂. Colorado. [Only wings and thorax intact.]
- flaveus** (Exyston) Davis, Trans. Am. Ent. Soc., xxiv, 237.
4292. ♀. Texas.
- flavidus** (Clepsiporthus) Davis, Trans. Am. Ent. Soc., xxiv, 326.
4415. ♀. Mt. Washington. New Hampshire.
- flavifrontalis** (Exochus) Davis, Trans. Am. Ent. Soc., xxiv, 217.
4279. ♀. Nevada.
- flavopictus** (Adelognathus) Davis, Trans. Am. Ent. Soc., xxiv, 242.
4301. ♀. Illinois.
- foxi** (Platylabus) Davis, Trans. Am. Ent. Soc., xxiv, 352.
4454. ♂. Camden, New Jersey. [Tips of antennae wanting.]
- fragilis** (Plesiognathus) Viereck, Trans. Am. Ent. Soc., xxix, 82.
4889. ♂. Beulah, New Mexico. [Antennae wanting.]
- franconiaensis** (Polyterus) Davis, Trans. Am. Ent. Soc., xxiv, 289.
4352. ♀. Franconia, New Hampshire.
- frontalis** (Dialges) Davis, Trans. Am. Ent. Soc., xxiv, 285.
4346. ♀. New Hampshire.
- frontosa** (Labrossyta) Davis, Trans. Am. Ent. Soc., xxiv, 275.
4333. ♀. Washington.
- fuliginosa** (Anomalon) Davis, Trans. Am. Ent. Soc., xxiv, 356.
151. ♀. Michigan.
- fusculosus** (Trematopygus) Davis, Trans. Am. Ent. Soc., xxiv, 277.
4336. ♂. Michigan. [Left antenna wanting.]
- gillettei** (Scopiorus) Davis, Trans. Am. Ent. Soc., xxiv, 258.
4314. ♀. Colorado.
- gillettii** (Syrphoctonus) Davis, Trans. Am. Ent. Soc., xxii, 26.
4264. ♀. Colorado.
- glabranotus** (Boethus) Davis, Trans. Am. Ent. Soc., xxiv, 291.
4354. ♀. Montana.

(ICHNEUMONIDAE Continued)

- glabrifrons** (Catastenus) Davis, Trans. Am. Ent. Soc., xxiv, 243.
4303. ♂. Algonquin, Illinois. [Abdomen detached.]
- glabrosus** (Erromenus) Davis, Trans. Am. Ent. Soc., xxiv, 260.
4320. ♂. Southern California.
- glabrosus** (Notomeris) Davis, Trans. Am. Ent. Soc., xxiv, 242.
4302. ♀. Mt. Washington, New Hampshire.
- glaucus** (Exotylus) Davis, Trans. Am. Ent. Soc., xxiv, 354.
4479. ♀. Michigan.
- gloriosus** (Phæstus) Davis, Trans. Am. Ent. Soc., xxiv, 292.
4357. ♀. Washington.
- gracilicornis** (Cratichneumon) Viereck, Trans. Am. Ent. Soc., xxix, 79.
4864 ♀. Dailey Canyon, New Mexico.
- graenicheri** (Habrocryptus) Viereck, Ent. News, xv, 333.
10194. ♀. Milwaukee, Wisconsin.
- granulatus** (Cremastus) Davis, Trans. Am. Ent. Soc., xxiv, 365.
4462. ♀. Michigan.
- granulosa** (Polysphincta) Davis, Trans. Am. Ent. Soc., xxiv, 369.
170. ♀. Michigan.
- granulosus** (Calliphurus) Davis, Trans. Am. Ent. Soc., xxiv, 290.
4353. ♂. Illinois. [Head wanting.]
- harbecki** (Metopius) Skinner, Ent. News, xvii, 150.
4869. ♂. Germantown, Philadelphia, Pennsylvania.
- hiatus** (Scopiorus) Davis, Trans. Am. Ent. Soc., xxiv, 258.
4318. ♂. Michigan.
- humeralis** (Exyston) Davis, Trans. Am. Ent. Soc., xxiv, 239.
4298. ♂. Canada.
- idahoensis** (Glypta) Davis, Trans. Am. Ent. Soc., xxiv, 370.
171. ♀. Idaho.
- idahoensis** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 297.
4368. ♀. Moscow, Idaho.
- ignipes** (Diaborus) Davis, Trans. Am. Ent. Soc., xxiv, 231.
4288. ♀. New Hampshire.
- iladus** (Spanotecnus) Davis, Trans. Am. Ent. Soc., xxiv, 303.
4376. ♂. New York. [Head wanting.]
- impressa** (Glypta) Davis, Trans. Am. Ent. Soc., xxiv, 371.
175. ♀. Algonquin, Illinois. [Left antenna wanting.]
- incabus** (Platylabus) Davis, Trans. Am. Ent. Soc., xxiv, 352.
4455. ♀. Moscow, Idaho.
- incessans** (Rhæstes) Davis, Trans. Am. Ent. Soc., xxiv, 311.
4390. ♀. New Hampshire.
- inconstans** (Zootrephes) Davis, Trans. Am. Ent. Soc., xxii, 23.
4261. ♀. Washington.

(ICHNEUMONIDAE Continued)

- indigus** (Tylecomnus) Davis, Trans. Am. Ent. Soc., xxiv, 204.
4268. ♀. Colorado. [Tip of left antenna wanting.]
- inermis** (Chirotica) Viereck, Trans. Am. Ent. Soc., xxix, 83.
4888. ♂. Beulah, New Mexico.
- innumerabilis** (Otliphorus) Davis, Trans. Am. Ent. Soc., xxiv, 276.
4334. ♀. Washington.
- intimatus** (Mesoleptus) Davis, Trans. Am. Ent. Soc., xxiv, 317.
4398. ♂. Colorado.
- iridescens** (Asymmictus) Davis, Trans. Am. Ent. Soc., xxiv, 325.
4414. ♀. Nevada. [Antennae broken.]
- iroquois** (Agrothereutes-Itamoplex) Viereck, Bull. 22, Conn. Geol. N. H. Surv., 331.
4882. ♀. New York.
- johnsonii** (?Meniscus) Davis, Can. Ent., xxvi, 323.
4449. ♀. Jamesburg, New Jersey. [Antennae wanting.]
- kincaidi** (Omoborus) Davis, Trans. Am. Ent. Soc., xxiv, 363.
4473. ♂. Seattle, Washington.
- labradorensis** (Diedrus) Davis, Trans. Am. Ent. Soc., xxiv, 324.
4413. ♀. Labrador. [Abdomen wanting.]
- lanceolata** (Holmgrenia) Davis, Trans. Am. Ent. Soc., xxiv, 294.
4359. ♀. Colorado.
- leviculus** (Polyblastus) Davis, Trans. Am. Ent. Soc., xxiv, 263.
4323. ♂. Colorado.
- litoralis** (Colpomeria) Davis, Trans. Am. Ent. Soc., xxiv, 367.
165. ♂. Michigan.
- longicauda** (Glypta) Davis, Trans. Am. Ent. Soc., xxiv, 370.
174. ♀. Moscow, Idaho. [Right antenna broken.]
- longipes** (Syndipnus) Davis, Trans. Am. Ent. Soc., xxiv, 288.
4351. ♀. Texas. [Left antenna wanting.]
- lophyri** (Cryptus) Norton, Trans. Am. Ent. Soc., ii, 326.
10359. ♀. Connecticut.
- luctus** (Canidia) Davis, Trans. Am. Ent. Soc., xxiv, 364.
4470. ♀. Mt. Washington, New Hampshire.
- lusoriosis** (Apimeles) Davis, Trans. Am. Ent. Soc., xxiv, 283.
4341. ♀. Canada. [Antennae wanting.]
- maculata** (Psiloparia) Viereck, Ent. News, xxxi, 17.
4119. ♀. Costa Rica.
- magnacornis** (Zemiodes) Davis, Trans. Am. Ent. Soc., xxiv, 324.
4411. ♂. Washington. [Right antenna wanting.]
- magniceps** (Ophion abnormis) Hooker, Trans. Am. Ent. Soc., xxxviii, 36.
4002. ♀. Southern California. [Antennae wanting.]
- magnus** (Zacalles) Davis, Trans. Am. Ent. Soc., xxiv, 283.
4340. ♀. New Hampshire. [Antennae broken; left fore wing wanting.]

(ICHNEUMONIDAE Continued)

- maudæ** (Xylonomus) Davis, Trans. Am. Ent. Soc., xxii, 32.
4433. ♀. Washington. [Antennae broken.]
- medialis** (Orthocentrus) Davis, Trans. Am. Ent. Soc., xxiv, 224.
4284. ♀. Algonquin, Illinois. [Right antenna wanting.]
- mellipennis** (Theronia fulvescens) Viereck, Trans. Am. Ent. Soc., xxix, 87.
4866. ♀. Beulah, New Mexico.
- mentalis** (Polyoncus) Davis, Trans. Am. Ent. Soc., xxiv, 306.
4380. ♀. New Hampshire.
- metallicus** (Platylabus) Bradley, Ent. News, xxxv, 277.
4865. ♀. New Hampshire.
- minor** (Harrimaniella) Viereck, Trans. Am. Ent. Soc., xxix, 87.
10217. ♂. Beulah, New Mexico.
- minoris** (Tylecomnus) Davis, Trans. Am. Ent. Soc., xxiv, 204.
4269. ♀. New Hampshire. [Abdomen detached.]
- minuta** (Polysphincta) Davis, Trans. Am. Ent. Soc., xxiv, 369.
4440. ♀. Michigan.
- montanus** (Zootrephes) Davis, Trans. Am. Ent. Soc., xxii, 24.
4262. ♀. Montana.
- nasoni** (Lathrolestes) Davis, Trans. Am. Ent. Soc., xxiv, 264.
4324. ♀. Montana. [Tips of antennae wanting.]
- nasoni** (Miomeris) Davis, Trans. Am. Ent. Soc., xxiv, 244.
4307. ♀. Algonquin, Illinois.
- nasoni** (Oetophorus) Davis, Trans. Am. Ent. Soc., xxiv, 251.
4312. ♀. Northern Illinois. [Tip of left antenna wanting.]
- nasonii** (Aplomerus) Davis, Trans. Am. Ent. Soc., xxii, 32.
4428. ♂. Illinois. [Right antenna wanting.]
- nebraskensis** (Diaborus) Davis, Trans. Am. Ent. Soc., xxiv, 232.
4289. ♂. Nebraska.
- negligere** (Eusterinx) Davis, Trans. Am. Ent. Soc., xxiv, 246.
4309. ♀. New Jersey. [Left antenna broken.]
- nemoralis** (Cremastus) Davis, Trans. Am. Ent. Soc., xxiv, 364.
4465. ♀. Michigan, [Antennae broken.]
- neomexicana** (Pimpla) Viereck, Trans. Am. Ent. Soc., xxix, 88.
10414. ♀. Beulah, New Mexico.
- neomexicanus** (Spilocryptus) Viereck, Trans. Am. Ent. Soc., xxix, 81.
4885. ♂. Beulah, New Mexico.
- nidia** (Bathycetes) Viereck, Trans. Am. Ent. Soc., xxix, 85.
10214. ♀. Beulah, New Mexico.
- nigralis** (Mesoleptus) Davis, Trans. Am. Ent. Soc., xxiv, 314.
4394. ♀. Franconia, New Hampshire.
- nigreo** (Exyston) Davis, Trans. Am. Ent. Soc., xxiv, 236.
4291. ♂. Colorado.

(ICHNEUMONIDAE Continued)

- nigrocephalus** (Clistopyga) Davis, Trans. Am. Ent. Soc., xxiv, 369.
4438. ♂. Illinois. [Left antenna broken.]
- nigrocephalus** (Diaborus) Davis, Trans. Am. Ent. Soc., xxiv, 232.
4290. ♀. Georgia.
- nigropicta** (Lampronota) Davis, Trans. Am. Ent. Soc., xxii, 31.
4445. ♂. Michigan.
- nigropleuralis** (Mesoleptus) Davis, Trans. Am. Ent. Soc., xxiv, 317.
4399. ♂. Nevada. [Antennae wanting.]
- nigroscutum** (Exyston) Davis, Trans. Am. Ent. Soc., xxiv, 237.
4293. ♂. Colorado. [Tips of antennae wanting.]
- nigrotergus** (Ichneumon) Davis, Trans. Am. Ent. Soc., xxiv, 350.
4486. ♀. Custer, South Dakota.
- nigrum** (Tryphon) Davis, Trans. Am. Ent. Soc., xxiv, 281.
4338. ♂. Gaylord, Michigan. [Antennae wanting.]
- nomene** (Glypta) Davis, Trans. Am. Ent. Soc., xxiv, 370.
173. ♀. Colorado. [Legs damaged.]
- nortoni** (Phygadeuon-Plesignathus) Viereck, Bull. 22, Conn. Geol. N. H. Surv., 335.
10198. ♂. Connecticut.
- notatus** (Alexeter) Davis, Trans. Am. Ent. Soc., xxiv, 321.
4409. ♂. Mt. Hood, Oregon. [Antennae broken; abdomen wanting.]
- nuperus** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 296.
4362. ♀. New Hampshire. [Right antenna wanting.]
- obesa** (Euceros) Davis, Trans. Am. Ent. Soc., xxiv, 255.
4431. ♀? Northern Illinois. [Antennae & most of tarsi wanting.]
- obesa** (Striphrosomus) Davis, Trans. Am. Ent. Soc., xxiv, 312.
4392. ♀. Virginia. [Abdomen detached.]
- obesa** (Zachrasta) Davis, Trans. Am. Ent. Soc., xxiv, 361.
4474. ♀. Michigan.
- obscurellus** (Spanotecnus) Davis, Trans. Am. Ent. Soc., xxiv, 304.
4377. ♀. Connecticut.
- obscuripes** (Limnerium) Viereck, Trans. Am. Ent. Soc., xxix, 91.
4893. ♀. Beulah, New Mexico.
- obscurus** (Deleter) Davis, Trans. Am. Ent. Soc., xxiv, 221.
4283. ♀. Illinois. [Right antenna broken.]
- occidentalis** (Campoplex) Davis, Trans. Am. Ent. Soc., xxiv, 361.
4469. ♂. Seattle, Washington.
- occidentalis** (Meniscus) Viereck, Trans. Am. Ent. Soc., xxix, 84.
10221. ♀. Beulah, New Mexico. [Antennae wanting.]
- oculatus** (Oetophorus) Davis, Trans. Am. Ent. Soc., xxiv, 252.
4313. ♀. Texas. [Right antenna wanting.]
- onitis** (Chorinaeus) Davis, Trans. Am. Ent. Soc., xxiv, 210.
4274. ♀. Mt. Washington, New Hampshire. [Left antenna broken.]

(ICHNEUMONIDAE Continued)

- opacitus** (Chorinaeus) Davis, Trans. Am. Ent. Soc., xxiv, 210.
4273. ♀. Nevada. [Antennae broken.]
- opacitus** (Platylabus) Davis, Trans. Am. Ent. Soc., xxiv, 353.
4456. ♂. Moscow, Idaho.
- opulenta** (Eriglœa) Davis, Trans. Am. Ent. Soc., xxiv, 275.
4331. ♀. New Hampshire. [Tip of left antenna wanting.]
- orbis** (Leptopygus) Davis, Trans. Am. Ent. Soc., xxiv, 365.
4461. ♀. Michigan.
- osrufus** (Eurylabus) Davis, Trans. Am. Ent. Soc., xxiv, 353.
4457. ♀. Illinois.
- ostentator** (Meniscus) Davis, Can. Ent. xxvi, 321.
4450. ♀. Michigan.
- ostentatus** (Exochus) Davis, Trans. Am. Ent. Soc., xxiv, 217.
4278. ♂. District of Columbia.
- ottawaensis** (Pezomachus) Harrington, Can. Ent., xxviii, 77.
10392. ♀. Ottawa, Canada.
- ovale** (Spudæa) Davis, Trans. Am. Ent. Soc., xxiv, 291.
4356. ♀. New Hampshire. [Tip of left antenna wanting.]
- ovatus** (Hyperacmus) Davis, Trans. Am. Ent. Soc., xxiv, 218.
4280. ♀. Connecticut.
- pacificus** (Ichneumon) Davis, Trans. Am. Ent. Soc., xxiv, 350.
4487. ♂. Seattle, Washington.
- pallidipennis** (Cratichneumon pedalis) Viereck, Ent. News, xiii, 87.
4855. ♀. Colorado.
- pallorana** (Lampronota) Davis, Trans. Am. Ent. Soc., xxii, 31.
4446. ♀. Philadelphia, Pennsylvania. [Right antenna broken.]
- palmaris** (Nœmon) Davis, Trans. Am. Ent. Soc., xxiv, 287.
4350. ♀. Southern California.
- patroclus** (Cratichneumon) Viereck, Trans. Am. Ent. Soc., xxix, 78.
4860. ♂. Beulah, New Mexico.
- penuria** (Aperileptus) Davis, Trans. Am. Ent. Soc., xxiv, 244.
4306. ♂. Canada. [Antennae broken.]
- perennis** (Eclytus) Davis, Trans. Am. Ent. Soc., xxiv, 305.
4378. ♀. New Hampshire.
- pertinax** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 299.
4373. ♀. New Hampshire. [Antennae broken.]
- petiolarus** (Exotylus) Davis, Trans. Am. Ent. Soc., xxiv, 355.
4480. ♂. Colorado.
- petiolatum** (Exochilum) Davis, Trans. Am. Ent. Soc., xxiv, 356.
10023. ♀. South Dakota.
- petiolatus** (Euryproctus) Davis, Trans. Am. Ent. Soc., xxiv, 328.
4420. ♀. Mt. Washington, New Hampshire.

(ICHNEUMONIDAE Continued)

- picens** (Holmgrenia) Davis, Trans. Am. Ent. Soc., xxiv, 294.
4360. ♀. Colorado. [Right antenna broken.]
- pictus** (Mesoleptus) Davis, Trans. Am. Ent. Soc., xxiv, 315.
4395. ♀. Canada.
- pilosa** (Eryma) Davis, Trans. Am. Ent. Soc., xxiv, 274.
4330. ♂. Montana.
- platynus** (Polyoncus) Davis, Trans. Am. Ent. Soc., xxiv, 306.
4379. ♂. Michigan. [Antennae wanting.]
- pluto** (Cratichneumon) Viereck, Trans. Am. Ent. Soc., xxix, 79.
10213. ♂. Beulah, New Mexico.
- polita** (Phygadeuon) Viereck, Trans. Am. Ent. Soc., xxix, 82.
4887. ♂. Beulah, New Mexico. [Antennae damaged.]
- politus** (Exyston) Davis, Trans. Am. Ent. Soc., xxiv, 240.
4300. ♀. Southern California. [Head damaged; antennae wanting.]
- premitus** (Camerotops) Davis, Trans. Am. Ent. Soc., xxiv, 226.
4286. ♂. Michigan. [Left antenna wanting.]
- pruinosa** (Ctenopelma) Davis, Trans. Am. Ent. Soc., xxiv, 250.
4311. ♂. Texas. [Antennae wanting.]
- pulchranotus** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 298.
4370. ♂. Texas.
- punctifrons** (Monoblastus) Davis, Trans. Am. Ent. Soc., xxiv, 261.
4321. ♀. Texas. [Right wings wanting.]
- punctifrons** (Prosmosus) Davis, Trans. Am. Ent. Soc., xxiv, 309.
4386. ♂. Canada.
- puritanicus** (Euryproctus) Davis, Trans. Am. Ent. Soc., xxiv, 330.
4425. ♀. Massachusetts.
- puritanicus** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 299.
4371. ♀. New Hampshire.
- pusillus** (Chorinæus) Davis, Trans. Am. Ent. Soc., xxiv, 211.
4276. ♀. Washington. [Right antenna broken.]
- pygmæus** (Ichneumon) Davis, Trans. Am. Ent. Soc., xxiv, 350.
4488. ♀. Mt. Washington, New Hampshire.
- ramis** (Euryproctus) Davis, Trans. Am. Ent. Soc., xxiv, 329.
4422. ♀. Colorado.
- regalis** (Dizemon) Davis, Trans. Am. Ent. Soc., xxiv, 312.
4393. ♀. New Hampshire.
- relativa** (Hammaniella) Viereck, Can. Ent., xxxiv, 67.
10216. ♂. New Jersey.
- relectum** (Campoplex) Davis, Trans. Am. Ent. Soc., xxiv, 361.
4471. ♀. Franconia, New Hampshire. [Abdomen detached.]
- reticulata** (Trichoma) Davis, Trans. Am. Ent. Soc., xxiv, 361.
160. ♀. Michigan.

(ICHNEUMONIDAE Continued)

- rhadmus** (*Homaspis*) Davis, Trans. Am. Ent. Soc., xxiv, 308.
4384. ♀. New Hampshire. [Antennae wanting.]
- riparius** (*Mesoleptus*) Davis, Trans. Am. Ent. Soc., xxiv, 315.
4396. ♀. Grand Lodge, Michigan.
- rivalis** (*Dialges frontalis*) Davis, Trans. Am. Ent. Soc., xxiv, 286.
4348. ♀. Philadelphia, Pennsylvania.
- robustus** (*Syrphoctonus*) Davis, Trans. Am. Ent. Soc., xxii, 25.
4263. ♂. Washington. [Tip of left antenna wanting.]
- rotundatus** (*Trematopygus*) Davis, Trans. Am. Ent. Soc., xxiv, 277.
4337. ♀. New Hampshire. [Tip of right antenna wanting.]
- rotundus** (*Anomalon*) Davis, Trans. Am. Ent. Soc., xxiv, 360.
159. ♂. Lawrence, Kansas. [Antennae broken.]
- rubyata** (*Ceratosoma*) Davis, Trans. Am. Ent. Soc., xxiv, 366.
163. ♀. Northern Illinois.
- ruficornis** (*Helictes-Idioxus*) Davis, Trans. Am. Ent. Soc., xxiv, 245.
4308. ♂. Algonquin, Illinois.
- ruficornis** (*Hydrodactylus*) Davis, Trans. Am. Ent. Soc., xxiv, 320.
4407. ♀. Colorado.
- rufinus** (*Exyston abdominalis*) Davis, Trans. Am. Ent. Soc., xxiv, 239.
4299. ♀. New Hampshire. [Left antenna wanting.]
- rufuscula** (*Pimpla conquisitor*) Davis, Trans. Am. Ent. Soc., xxiv, 368.
4435. ♀. Northern Illinois.
- sanguineus** (*Euceros*) Davis, Trans. Am. Ent. Soc., xxiv, 256.
4315. ♀. Colorado. [Right antenna broken.]
- scrupulosus** (*Mesoleptus*) Davis, Trans. Am. Ent. Soc., xxiv, 318.
4404. ♂. Washington.
- sentinis** (*Euryproctus*) Davis, Trans. Am. Ent. Soc., xxiv, 330.
4426. ♀. Mt. Washington, New Hampshire.
- separatus** (*Eurylabus*) Davis, Trans. Am. Ent. Soc., xxiv, 353.
4458. ♂. Algonquin, Illinois.
- sericeifrons** (*Exotylus*) Davis, Trans. Am. Ent. Soc., xxiv, 355.
4481. ♀. Washington.
- sessilis** (*Euryproctus*) Davis, Trans. Am. Ent. Soc., xxiv, 329.
4421. ♀. Mt. Washington, New Hampshire. [Antennae wanting.]
- sexcarinata** (*Lampronota*) Davis, Trans. Am. Ent. Soc., xxii, 30.
4447. ♀. Michigan. [Antennae broken.]
- similis** (*Diaborus*) Davis, Trans. Am. Ent. Soc., xxiv, 231.
4287. ♀. Colorado.
- similis** (*Lathrolestes*) Davis, Trans. Am. Ent. Soc., xxiv, 265.
4325. ♀. Colorado. [Tip of left antenna wanting.]
- skinneri** (*Cratichneumon*) Viereck, Trans. Am. Ent. Soc., xxix, 78.
4859. ♂. Beulah, New Mexico.

(ICHNEUMONIDAE Continued)

- skinneri** (Rhyssa) Viereck, Trans. Am. Ent. Soc., xxix, 87.
4868. ♀. Beulah, New Mexico.
- slossonæ** (Meniscus) Davis, Can. Ent., xxvi, 322.
4451. ♀. Mt. Washington, New Hampshire.
- slossonæ** (Ophion) Davis, Ent. News, iv, 135.
81. ♂. Connecticut. [Antennae broken.]
- slossonæ** (Polysphincta) Davis, Trans. Am. Ent. Soc., xxiv, 368.
169. ♀. Mt. Washington, New Hampshire.
- smithii** (Anomalon) Davis, Trans. Am. Ent. Soc., xxiv, 357.
153. ♂. New Brunswick, New Jersey.
- solitarius** (Exochus) Davis, Trans. Am. Ent. Soc., xxiv, 216.
4277. ♂. Canada. [Left antenna broken; abdomen detached.]
- spatiosus** (Sychnoleter) Davis, Trans. Am. Ent. Soc., xxiv, 306.
4382. ♀. Canada. [Hind tarsi wanting.]
- speciosus** (Exyston) Davis, Trans. Am. Ent. Soc., xxiv, 237.
4294. ♂. Colorado.
- spinosa** (Polysphincta) Davis, Trans. Am. Ent. Soc., xxiv, 368.
167. ♀. Urbana, Illinois.
- stellarius** (Atithasus) Davis, Trans. Am. Ent. Soc., xxiv, 291.
4355. ♀. Texas.
- sternata** (Pseudorhyssa) Merrill, Trans. Am. Ent. Soc., xli, 150.
4007. ♀. Toronto, Canada. [Legs damaged.]
- striatus** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 299.
4402. ♀. Mt. Washington, New Hampshire.
- stultor** (Pimpla) Davis, Trans. Am. Ent. Soc., xxiv, 367.
4436. ♂. Toronto, Canada. [Right fore wing & left antenna wanting.]
- subflavus** (Meniscus) Davis, Trans. Am. Ent. Soc., xxiv, 371.
4429. ♂. Texas.
- subrestrictus** (Cratichneumon restrictus) Viereck, Trans. Am. Ent. Soc., xxix, 77.
4863. ♂. Beulah, New Mexico.
- suburbe** (Anomalon) Davis, Trans. Am. Ent. Soc., xxiv, 358.
180. ♀. Julietta, Idaho.
- suburbe** (Polyoncus) Davis, Trans. Am. Ent. Soc., xxiv, 306.
4381. ♀. Madison, Wisconsin.
- taeniolata** (Limnerium) Viereck, Trans. Am. Ent. Soc., xxix, 92.
4895. ♂. Beulah, New Mexico.
- terminalis** (Bassus latatorius) Davis, Trans. Am. Ent. Soc., xxii, 19.
4427. ♀. Washington.
- torontosus** (Amblyteles) Davis, Trans. Am. Ent. Soc., xxiv, 351.
4466. ♀. Toronto, Canada.
- torpens** (Mesoleptus) Davis, Trans. Am. Ent. Soc., xxiv, 318.
4403. ♀. Washington. [Tips of antennae wanting.]

(ICHNEUMONIDAE Continued)

- transversus** (Hoplismenus) Davis, Trans. Am. Ent. Soc., xxiv, 351.
4483. ♂. Moscow, Idaho.
- tricolor** (Amblyteles) Davis, Trans. Am. Ent. Soc., xxiv, 351.
4467. ♀. South Dakota.
- tricolor** (Dialges frontalis) Davis, Trans. Am. Ent. Soc., xxiv, 285.
4347. ♀. Montana.
- tropicus** (Aperileptus) Davis, Trans. Am. Ent. Soc., xxiv, 244.
4305. ♂. Southern California.
- truncatus** (Clepsiporthus) Davis, Trans. Am. Ent. Soc., xxiv, 326.
4416. ♀. Montana. [Tips of antennae wanting.]
- truncatus** (Phytodietus) Davis, Trans. Am. Ent. Soc., xxiv, 371.
4430. ♀. Brookings, South Dakota. [Apical half of antennae wanting.]
- tumidiformis** (Phygadeuon) Viereck, Bull. 22, Conn. Geol. & N. H. Surv., 335.
10197. ♂. Connecticut.
- ultimatus** (Metopius) Davis, Trans. Am. Ent. Soc., xxiv, 199.
4267. ♂. Illinois.
- umbrosus** (Tylecomnus) Davis, Trans. Am. Ent. Soc., xxiv, 203.
4270. ♀. Washington.
- undulatus** (Deleter) Davis, Trans. Am. Ent. Soc., xxiv, 221.
4282. ♀. Illinois.
- unicus** (Polyoncus) Davis, Trans. Am. Ent. Soc., xxiv, 306.
4460. ♀. Michigan.
- valerius** (Castastenus) Davis, Trans. Am. Ent. Soc., xxiv, 243.
4304. ♀. Algonquin, Illinois.
- varicolor** (Exochilum) Viereck, Trans. Am. Ent. Soc., xxix, 90.
4890. ♂. Beulah, New Mexico. [Antennae damaged; abdomen detached.]
- varitarsis** (Cratichneumon pedalis) Viereck, Ent. News, xiii, 87.
4854. ♀. Colorado.
- visoris** (Mesoleius) Davis, Trans. Am. Ent. Soc., xxiv, 296.
4363. ♀. Michigan.
- washingtonensis** (Mima) Davis, Trans. Am. Ent. Soc., xxiv, 219.
4281. ♀. Mt. Washington, New Hampshire.
- zebratus** (Mesoleptus) Davis, Trans. Am. Ent. Soc., xxiv, 316.
4397. ♂. New York, [Left fore and middle legs wanting.]
- zonata** (Clistopyga) Davis, Ent. News, vi, 198.
4439. ♀. Algonquin, Illinois.

STEPHANIDAE

- canadensis** (Megischus) Davis, Trans. Am. Ent. Soc., xxiv, 349.
4490. ♀. Toronto, Canada.
- floridanus** (Megischus) Davis, Trans. Am. Ent. Soc., xxiv, 349.
4491. ♀. Florida. [Middle legs wanting.]

BRACONIDAE

- agilis** (Meteorus) Viereck, Trans. Am. Ent. Soc., xxix, 94.
4879. ♀. Beulah, New Mexico.
- australis** (Chelonus) Viereck, Trans. Am. Ent. Soc., xxix, 95.
4878. ♂. Beulah, New Mexico.
- carduicola** (Microgaster) Packard, Proc. Bost. Soc. N. H., xxi, 27.
10366. ♀. [Locality not given.]
- hallii** (Microgaster) Packard, Am. Nat., xi, 52.
10365. ♂? Polaris Bay, Greenland.
- lunatus** (Microgaster) Packard, Proc. Bost. Soc. N. H., xxi, 28.
10263. ♀. Massachusetts.
- maturus** (Microplitis) Weed, Trans. Am. Ent. Soc., xv, 294.
4872. ♂. New York.
- mellinervus** (Meteorus) Viereck, Trans. Am. Ent. Soc., xxix, 95.
4880. ♀. Beulah, New Mexico. [Antennae wanting.]
- meridionalis** (Microdus) Viereck, Trans. Am. Ent. Soc., xxix, 96.
4876. ♂. Beulah, New Mexico.
- micans** (Anarcha) Viereck, Trans. Am. Ent. Soc., xxix, 93.
4881. ♀. Beulah, New Mexico.
- nigricoxis** (Rhogas) Viereck, Trans. Am. Ent. Soc., xxix, 97. wanting.]
4871. ♂. Beulah, New Mexico. [Left antenna broken; right anterior wing
- novæangliæ** (Opius) Viereck, Bull. 22, Conn. Geol. & N. H. Surv., 182.
10199. ♀. Connecticut. [Antennae damaged; Left wings wanting.]
- ornigis** (Apanteles) Weed, Bull. Ill. Sta. Lab. N. H., iii, 6.
4874. ♀. Normal, Illinois. [Abdomen missing.]
- parvus** (Agathis) Viereck, Trans. Am. Ent. Soc., xxix, 96.
4877. ♀. Beulah, New Mexico.
- terminatus** (Microplitis) Weed, Trans. Am. Ent. Soc., xv, 295.
4873. ♀? Illinois.

CHALCIDIDAE

- cubensis** (Bephrata) Ashmead, Trans. Am. Ent. Soc., xxi, 321.
4902. ♀. Cuba.
- montanum** (Isosoma) Ashmead, Trans. Am. Ent. Soc., xxi, 329.
4898. ♀. Colorado.

(CHALCIDIDAE Continued)

- nevadense** (Isosoma) Ashmead, Trans. Am. Ent. Soc., xxi, 330.
4899. ♂. Nevada.
- opacus** (Euperilampus) Ashmead, Trans. Am. Ent. Soc., xxi, 318.
4903. ♀. Denver, Colorado.
- terminalis** (Kapala) Ashmead, Proc. Ent. Soc. Wash., ii, 358.
10358. ♂. Cuba. [Abdomen wanting.]
- tibialis** (Isosomorpha) Ashmead, Trans. Am. Ent. Soc., xxi, 331.
4897. ♀. Montana.
- varipes** (Trigonoderus) Viereck, Trans. Am. Ent. Soc., xxix, 75.
4904. ♀. Beulah, New Mexico. [Abdomen detached.]

PROCTOTRUPIDAE

- annulicornis** (Anteon) Brues, Bull. Wis. Nat. Hist. Soc., (N. Ser.), iii, 185.
10416. ♀. Mexico.
- ashmeadi** (Scelio) Viereck, Trans. Am. Ent. Soc., xxix, 74.
4906. ♂. Beulah, New Mexico.
- contortulus** (Gonatopus) Patton, Can. Ent., xi, 65.
4907. ♀. Waterbury, Connecticut. [Condition poor.]
- crenulatus** (Proctotrupes) Patton, Can. Ent., xi, 64.
4905. ♀. Connecticut. [Antennae wanting.]
- ferrugineus** (Chelogyne) Brues, Bull. Wis. N. H. Soc., (N. Ser.), iii, 183.
10415. ♀. Texas. [Left wings wanting.]
- grandis** (Chelogyne) Brues, Bull. Wis. N. H. Soc., (N. Ser.), iii, 184.
10275. ♀. Riverside, Massachusetts. [Antennae wanting.]
- modesta** (Loxotropa) Brues, Bull. Wis. N. H. Soc., (N. Ser.), iii, 188.
10274. ♀. Lehigh Gap, Pennsylvania.

CHRYSIDIDAE

- arizonensis** (Parnopes) Viereck, Trans. Am. Ent. Soc., xxx, 249.
4945. ♂. Florence, Arizona.
- cæruleum** (Hedychrum) Norton, Trans. Am. Ent. Soc., vii, 239.
4926. ♀. Dakota.
- cobaltina** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 228.
4950. ♀. Massachusetts.
- concinna** (Parnopes) Viereck, Trans. Am. Ent. Soc., xxx, 248.
4942. ♀. Florence, Arizona.
- continuum** (Hedychrum) Aaron, Trans. Am. Ent. Soc., xii, 224.
4924. ♀. Washington. [Right wing wanting.]
- coruscans** (Elampus) Norton, Trans. Am. Ent. Soc., vii, 234.
4916. ♀. Canada.

(CHRYSIDIDAE Continued)

- cressoni** (Elampus) Aaron, Trans. Am. Ent. Soc., xii, 215.
4918. ♀. Colorado.
- cressoni** (Hedychrum) Norton, Trans. Am. Ent. Soc., vii, 239.
10388. ♀. Mexico.
- diadema** (Parnopes) Viereck, Trans. Am. Ent. Soc., xxx, 248.
4943. ♀. Florence, Arizona.
- discreta** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 230.
4953. ♀. North Carolina.
- diversus** (Omalus) Aaron, Trans. Am. Ent. Soc., xii, 213.
4915. ♀. California.
- dorsalis** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 234.
4929. ♀. Colorado.
- excurvata** (Parnopes) Viereck, Trans. Am. Ent. Soc., xxx, 250.
4946. ♀. Florence, Arizona.
- faceta** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 229.
4951. ♀? Colorado.
- festivus** (Parnopes) Cockerell, Ent. News, v, 328.
4941. ♀. Las Cruces, New Mexico.
- hirsuta** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 235.
4937. ♂. Utah.
- horus** (Holopyga) Aaron, Trans. Am. Ent. Soc., xii, 220.
4923. ♂. Montana.
- hyalinus** (Notozus) Aaron, Trans. Am. Ent. Soc., xii, 218.
4912. ♀. Montana.
- inflata** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 237.
4933. ♂. Southern California.
- insperata** (Cleptes) Aaron, Trans. Am. Ent. Soc., xii, 212.
4908. ♀. Montana.
- intermedius** (Notozus) Aaron, Trans. Am. Ent. Soc., xii, 218.
4922. ♂. Montana.
- inuitata** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 227.
4947. ♀? Vancouver, British Columbia.
- iridescens** (Elampus) Norton, Trans. Am. Ent. Soc., vii, 234.
4925. ♂. Pennsylvania. [Antennae broken.]
- lateridentata** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 228.
4949. ♀. Montana.
- louisianæ** (Hedychrum) Norton, Trans. Am. Ent. Soc., vii, 238.
4928. ♂. Louisiana.
- mesillae** (Chrysis) Cockerell, Ent. News, v, 125.
4940. ♀. Las Cruces, New Mexico.
- meta** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 234.
4939. ♂. Montana.

(CHRYSIDIDAE Continued)

- montana** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 234.
4930. ♀. Montana.
- nitidus** (Notozus) Aaron, Trans. Am. Ent. Soc., xii, 218.
4910. ♂. Montana.
- nortoni** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 237.
4934. ♂. Maine.
- optima** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 227.
4948. ♀. Colorado.
- parvum** (Hedychrum violaceum) Aaron, Trans. Am. Ent. Soc., xii, 223.
4927. ? . Montana.
- pattoni** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 235.
4932. ♀. Colorado.
- pellucidula** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 235.
4931. ♀. Virginia.
- peracuta** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 237.
4935. ? . Georgia. [Abdomen detached.]
- plicatus** (Diplorrhous) Aaron, Trans. Am. Ent. Soc., xii, 216.
4914. ♂. Montana.
- productus** (Notozus) Aaron, Trans. Am. Ent. Soc., xii, 219.
4913. ♀. Montana.
- propria** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 238.
4938. ♂. Montana.
- semicircularis** (Omalus) Aaron, Trans. Am. Ent. Soc., xii, 215.
4917. ♂. Colorado.
- semicuprea** (Olochrysis) Viereck, Trans. Am. Ent. Soc., xxix, 70.
517. ♂. Beulah, New Mexico.
- seminudus** (Notozus) Aaron, Trans. Am. Ent. Soc., xii, 218.
4911. ♂. Washington.
- speciosa** (Cleptes) Aaron, Trans. Am. Ent. Soc., xii, 212.
4909. ♀. Montana.
- striatellus** (Chrysis) Norton, Trans. Am. Ent. Soc., vii, 241.
4954. ♀. Massachusetts.
- tæniata** (Parnopes) Viereck, Trans. Am. Ent. Soc., xxx, 249.
4944. ♀. East Washington.
- tripartita** (Chrysis) Aaron, Trans. Am. Ent. Soc., xii, 238.
4936. ♀. Arizona.
- variatus** (Elampus) Aaron, Trans. Am. Ent. Soc., xii, 215.
4919. ♂. Montana.
- versicolor** (Elampus) Norton, Trans. Am. Ent. Soc., vii, 235.
4921. ♂. Dakota. [Wings damaged.]
- viridicyaneus** (Elampus) Norton, Trans. Am. Ent. Soc., vii, 235.
4920. ♀. Massachusetts.

FORMICIDAE

- densiventris** (*Formica fusca*) Viereck, Trans. Am. Ent. Soc., xxix, 74.
4955. ♀. Beulah, New Mexico.
- obscurus** (*Leptothorax canadensis*) Viereck, Trans. Am. Ent. Soc., xxix, 72.
4956. ♀. Beulah, New Mexico.
- subumbratus** (*Lasius umbratus*) Viereck, Trans. Am. Ent. Soc., xxix, 73.
4952. ♀. Beulah, New Mexico. [Right wings wanting.]

MUTILLIDAE

- abdominalis** (*Photopsis*) Blake, Trans. Am. Ent. Soc., xiii, 275.
4617. ♂. Colorado.
- acontius** (*Mutilla*) Fox, Trans. Am. Ent. Soc., xxv, 266.
4644. ♂. Las Cruces, New Mexico. [Left antenna wanting.]
- admetus** (*Mutilla*) Blake, Trans. Am. Ent. Soc., iv, 74.
4522. ♂. Comal County, Texas. [Antennae wanting.]
- adonis** (*Mutilla*) Fox, Trans. Am. Ent. Soc., xxv, 265.
4677. ♂. Las Cruces, New Mexico.
- ætis** (*Mutilla*) Fox, Trans. Am. Ent. Soc., xxv, 228.
4626. ♀. Florida.
- aequalis** (*Brachycistis*) Fox, Trans. Am. Ent. Soc., xxv, 284.
4671. ♂. Colorado.
- agenor** (*Mutilla*) Fox, Trans. Am. Ent. Soc., xxv, 245.
4637. ♂. Illinois.
- alamonis** (*Odontophopsis*) Viereck, Trans. Am. Ent. Soc., xxx, 87.
4982. ♂. Alamogordo, New Mexico.
- albicincta** (*Mutilla*) Fox, Trans. Am. Ent. Soc., xxv, 255.
4643. ♂. Arizona.
- albobilosa** (*Mutilla*) Blake, Trans. Am. Ent. Soc., iv, 74.
4545. ♀. Comal County, Texas.
- alcantor** (*Agama*) Blake, Trans. Am. Ent. Soc., iii, 264.
4599. ♂. Arizona. [Antennae damaged.]
- alemon** (*Mutilla*) Fox, Trans. Am. Ent. Soc., xxv, 266.
4680. ♂. New Mexico.
- alogus** (*Photomorphus*) Viereck, Ent. News, xiv, 251.
4965. ♂. Tifton, Georgia.
- altamira** (*Mutilla*) Blake, Trans. Am. Ent. Soc., iii, 244.
4505. ♀. Mexico.
- amphion** (*Mutilla*) Fox, Trans. Am. Ent. Soc., xxv, 263.
4654. ♂. Nevada.
- ampla** (*Agama*) Blake, Trans. Am. Ent. Soc., vii, 252.
4594. ♂. Colorado. [Abdomen damaged.]

(MUTILLIDAE Continued)

- anguliceps** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 240.
4630. ♀. Algonquin, Illinois.
- apicalata** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 238.
4524. ♂. Mexico.
- ariadne** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 243.
4501. ♀. Mexico.
- aspasia** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 250.
4574. ♀. Nevada.
- astyanax** (Agama) Blake, Trans. Am. Ent. Soc., vii, 254.
4609. ♂. Texas.
- athamas** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 225.
4623. ♂. California.
- atrata** (Agama) Blake, Trans. Am. Ent. Soc., vii, 253.
4595. ♂. Nevada. [Antennae damaged.]
- attenuata** (Agama) Blake, Trans. Am. Ent. Soc., iv, 76.
4592. ♂. Texas.
- augustus** (Odontophotopsis) Viereck, Trans. Am. Ent. Soc., xxx, 90.
4986. ♂. St. Augustine, New Mexico.
- aulus** (Agama) Blake, Trans. Am. Ent. Soc., iv, 75.
4608. ♂. Texas.
- auraria** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 248.
4573. ♀. Nevada. [Right hind legs wanting.]
- auripes** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 254.
4555. ♀. Mexico.
- auripilis** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 233.
4565. ♂. Texas.
- avellanus** (Odontophotopsis) Viereck, Trans. Am. Ent. Soc., xxx, 88.
4983. ♂. Texas.
- azteca** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 240.
4508. ♂. Mexico.
- balopilus** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 244.
4504. ♀. Mexico.
- balteola** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 248.
4566. ♀. Texas.
- barbata** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 272.
4659. ♂. Ripley County, Missouri.
- barbigera** (Mutilla-Timula) Bradley, Trans. Am. Ent. Soc., xlii, 206.
4970. ♂. Dallas, Texas.
- belfragei** (Agama) Blake, Trans. Am. Ent. Soc., iii, 263.
4590. ♂. Texas. [Antennae wanting.]
- bellerophon** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 254.
4641. ♂. Arizona.

(MUTILLIDAE Continued)

- bexar** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 238.
4538. ♂. Texas.
- bicolor** (Agama) Blake, Trans. Am. Ent. Soc., vii, 252.
4618. ♂. Texas.
- bimaculatus** (Brachycistis) Fox, Trans. Am. Ent. Soc., xxv, 285.
4674. ♂. Ripley County, Missouri.
- bisignata** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 252.
4558. ♀. Mexico.
- blakei** (Myrmosa) Bradley, Trans. Am. Ent. Soc., xliii, 251.
4974. ♀. New York.
- bollii** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 242.
4633. ♀. Texas.
- brazoria** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 255.
4612. ♀. Texas.
- brevicornis** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 255.
4681. ♂. Texas.
- brevis** (Brachycistis) Fox, Trans. Am. Ent. Soc., xxv, 285.
4673. ♂. California.
- briaxus** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 227.
4577. ♂. Pennsylvania.
- canadensis** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 252.
4530. ♀. Canada.
- canella** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 239.
4527. ♂. Texas.
- caneo** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 250.
4514. ♀. Texas.
- carinatus** (Brachycistis) Fox, Trans. Am. Ent. Soc., xxv, 283.
4669. ♂. California. [Left middle and hind legs wanting.]
- cariniceps** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 241.
4632. ♀. New Jersey.
- castor** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 237.
4521. ♂. Texas. [Left antenna and left fore wing wanting.]
- ceres** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 257.
4647. ♀. Arizona.
- ceyx** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 262.
4653. ♂. Lower California.
- chiapa** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 253.
4554. ♀. Mexico.
- chiron** (Mutilla) Blake, Trans. Am. Ent. Soc., iv, 72.
4519. ♂. Bosque County, Texas.
- cinoloa** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 231.
4587. ♀. Mexico. [Eyes & anterior of head destroyed.]

(MUTILLIDAE Continued)

- clandestinus** (Odontophotopsis) Viereck, Proc. Acad. N. S. Phil., liv, 740.
4981. ♂. Mesilla, New Mexico.
- clio** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 251.
4605. ♀. Vancouver Island, British Columbia.
- clotho** (Mutilla) Blake, Trans. Am. Ent. Soc., iv, 72.
4603. ♀. Dallas County, Texas.
- coccineohirta** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 235.
4517. ♂. California.
- comanche** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 234.
4602. ♂. Texas. [Right antenna wanting.]
- contiguus** (Brachycistis) Fox, Trans. Am. Ent. Soc., xxv, 282.
4667. ♂. Nevada.
- contracta** (Agama) Blake, Trans. Am. Ent. Soc., vii, 253.
4568. ♂. Nevada.
- copano** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 232.
4584. ♂. Texas.
- creon** (Mutilla) Blake, Trans. Am. Ent. Soc., iv, 73.
4525. ♂. Bosque County, Texas.
- ressoni** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 68.
4497. ♀. Mexico. [Right antenna wanting.]
- crucis** (Odontophotopsis) Viereck, Trans. Am. Ent. Soc., xxx, 86.
4978. ♂. Las Cruces, New Mexico.
- cubensis** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 231.
4586. ♀. Cuba.
- cypris** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 246.
4512. ♀. Georgia. [Left antenna wanting.]
- danaus** (Agama) Blake, Trans. Am. Ent. Soc., iii, 261.
4570. ♂. Texas.
- delodontus** (Odontophotopsis) Viereck, Trans. Am. Ent. Soc., xxx, 91.
4988. ♂. Arizona.
- diomeda** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 257.
4648. ♀. Texas.
- dirce** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 258.
4651. ♀. Arizona.
- donae-anæ** (Sphaerophthalma) Cockerell & Fox, Proc. Acad. N. S. Phil., 1897, 136.
4958. ♀. Las Cruces, New Mexico.
- electra** (Mutilla) Blake, Trans. Am. Ent. Soc., iv, 75.
4613. ♀. Dallas County, Texas.
- elegantulus** (Brachycistis) Cockerell & Casad, Ent. News, v, 295.
4972. ♂. New Mexico.
- elevatus** (Chyphotes) Blake, Trans. Am. Ent. Soc., xiii, 276.
4589. ♀. Arizona.

(MUTILLIDAE Continued)

- elytemnestra** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 246.
4638. ♀. California.
- erato** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 251.
4544. ♀. Texas.
- erigone** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 268.
4657. ♀. Colorado.
- euterpe** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 249.
4582. ♀. Florida. [Hind tarsi damaged.]
- eximia** (Mutilla) Blake, Trans. Am. Ent. Soc., xiii, 200.
4526. ♂. Arizona.
- exogyrus** (Odontophotopsis) Viereck, Proc. Acad. Nat. Sci. Phil., 1902, 738.
4980. ♂. La Jolla, California.
- fallax** (Odontophotopsis) Viereck, Trans. Am. Ent. Soc., xxx, 89.
4984. ♂. Nevada.
- ferruginea** (Agama) Blake, Trans. Am. Ent. Soc., vii, 254.
4615. ♂. Nevada.
- flavida** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 249.
4535. ♂. Texas. [Right antenna and wings wanting.]
- floridensis** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 249.
4579. ♂. Florida.
- formosa** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 244.
4503. ♀. Mexico.
- foxi** (Sphaerophthalma) Cockerell, Ent. News, v, 199.
4964. ♂. Inarez, Chihuahua, Mexico.
- gabbii** (Mutilla) Blake, Proc. Ent. Sec. Acad. Nat. Sci. Phil., 1879, p. iv.
4496. ♀. Costa Rico.
- geryon** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 225.
4622. ♂. St. Louis, Missouri.
- gila** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 250.
4532. ♂. Texas.
- gorgon** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 233.
4494. ♀. Texas.
- gothica** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 252.
4559. ♀. Mexico.
- grandiceps** (Mutilla) Blake, Trans. Am. Ent. Soc., iv, 74.
10368. ♂. Bosque County, Texas.
- grisea** (Ephuta) Bradley, Trans. Am. Ent. Soc., xlii, 194.
4969. ♂. Colorado.
- grotei** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 228.
4576. ♂. Colorado. [Right middle leg wanting.]
- halcyone** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 257.
4649. ♀. "S. W. United States."

(MUTILLIDAE Continued)

- harmonia** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 229.
4627. ♀. Pennsylvania.
- harpalyce** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 227.
4624. ♀. California.
- hector** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 237.
4537. ♂. Kansas.
- helicaon** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 254.
4642. ♂. Nevada.
- heterochroa** (Sphaerophthalma) Cockerell & Casad, Ent. News, v, 293.
4962. ♀. San Augustine, New Mexico.
- hippodamia** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 227.
4625. ♀. Texas.
- hispidia** (Sphaerophthalma) Blake, Trans. Am. Ent. Soc., xiii, 226.
4990. ♂. Colorado.
- hyalina** (Agama) Blake, Trans. Am. Ent. Soc., iii, 263.
4571. ♂. Texas.
- hypermnestra** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 268.
4656. ♀. California.
- ilione** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 268.
4658. ♀. Fedor, Texas.
- imperialis** (Agama) Blake, Trans. Am. Ent. Soc., iii, 260.
4569. ♂. Texas.
- inconspicuus** (Photopsis) Blake, Trans. Am. Ent. Soc., xiii, 272.
4610. ♂. California.
- indotatus** (Odontophotopsis) Viereck, Trans. Am. Ent. Soc., xxx, 89.
4985. ♂. Texas.
- izucar** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 253.
4553. ♀. Mexico. [Right antenna wanting.]
- johnsoni** (Photomorphus) Viereck, Ent. News, xiv, 249.
4966. ♂. Riverton, New Jersey.
- juxta** (Agama) Blake, Trans. Am. Ent. Soc., iv, 76.
4548. ♂. Texas.
- laodamia** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 258.
4650. ♀. Arizona.
- laticeps** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 249.
4509. ♂. Mexico.
- leda** (Mutilla) Blake, Trans. Am. Ent. Soc., iv, 72.
4604. ♀. Dallas County, Texas.
- leda** (Mutilla) Fox, Proc. Acad. Nat. Sci. Phil., 1896, 547.
10369. ♀. Gelani, N. E. Africa.
- leona** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 230.
4583. ♀. Mexico. [Antennae wanting.]

(MUTILLIDAE Continued)

- lepidus** (Photopsis) Blake, Trans. Am. Ent. Soc., xiii, 269.
4597. ♂. Colorado.
- lerma** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 251.
4557. ♀. Mexico.
- luteola** (Sphaerophthalma) Blake, Trans. Am. Ent. Soc., xiii, 235.
4543. ♀. Utah.
- macer** (Sphaerophthalma) Blake, Trans. Am. Ent. Soc., xiii, 227.
4523. ♂. Kentucky.
- macilenta** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 239.
4506. ♂. Texas.
- marpesia** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 247.
4542. ♀. Kansas.
- melaniceps** (Photopsis) Blake, Trans. Am. Ent. Soc., xiii, 264.
4591. ♂. Arizona.
- melicausa** (Agama) Blake, Trans. Am. Ent. Soc., iii, 261.
4611. ♂. Texas.
- mellipes** (Photopsis) Blake, Trans. Am. Ent. Soc., xiii, 262.
4593. ♂. Arizona.
- mendica** (Agama) Blake, Trans. Am. Ent. Soc., iii, 259.
4551. ♂. Nevada. [Left antenna and fore wings wanting.]
- minuta** (Agama) Blake, Trans. Am. Ent. Soc., iv, 76.
4572. ♂. Texas. [Left wings wanting.]
- minutissima** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 254.
4561. ♀. Mexico.
- mixtura** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 251.
4515. ♀. Colorado.
- mollissima** (Sphaerophthalma) Blake, Trans. Am. Ent. Soc., xiii, 215.
4492. ♂. Colorado.
- mutata** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 247.
4513. ♀. Maryland.
- myrmicoides** (Sphaerophthalma) Cockerell, Ent. News, vi, 62.
4967. ♀. Columbus, Texas.
- myrrha** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 258.
4652. ♀. Fort Collins, Colorado.
- nebulosus** (Photopsis) Blake, Trans. Am. Ent. Soc., xiii, 275.
4549. ♂. Southern California.
- nephele** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 223.
4621. ♀. Texas.
- nestor** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 271.
4660. ♂. Texas.
- nevadensis** (Brachycistis) Fox, Trans. Am. Ent. Soc., xxv, 283.
4670. ♂. Nevada.

(MUTILLIDAE Continued)

- nigrrior** (Methoca) Fox, Trans. Am. Ent. Soc., xxv, 288.
4676. ♂. Washington. [Right wing wanting; antennae damaged.]
- nigritus** (Brachycistis) Fox, Trans. Am. Ent. Soc., xxv, 282.
4666. ♂. Washington.
- nokomis** (Agama) Blake, Trans. Am. Ent. Soc., iii, 260.
4540. ♂. Arizona.
- nortoni** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 68.
4498. ♀. Mexico.
- nudus** (Brachycistis) Fox, Trans. Am. Ent. Soc., xxv, 281.
4665. ♂. California. [Left wings and legs wanting.]
- oajaca** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 228.
4580. ♂. Mexico.
- oceola** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 248.
4533. ♂. Florida.
- ochracea** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 247.
4518. ♂. Nevada.
- orestes** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 256.
4646. ♂. "S. W. United States."
- orizaba** (Agama) Blake, Trans. Am. Ent. Soc., iii, 259.
4539. ♂. Mexico. [Right wings wanting.]
- palamedes** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 264.
4655. ♂. Texas.
- pallida** (Agama) Blake, Trans. Am. Ent. Soc., iii, 263.
4552. ♂. Texas. [Antennae and wings damaged.]
- parmosa** (Sphaerophthalma) Blake, Trans. Am. Ent. Soc., xiii, 210.
4493. ♀. California. [Abdomen wanting.]
- parvula** (Mutilla) Blake, Trans. Am. Ent. Soc., xiii, 206.
4619. ♀. Alabama. [Right antenna damaged.]
- parvula** (Myrmosa) Fox, Jour. N. Y. Ent. Soc., i, 53.
4675. ♂. Southern Illinois.
- peninsularis** (Chyphotes) Fox, Trans. Am. Ent. Soc., xxv, 277.
4664. ♂. Lower California.
- perpunctatus** (Brachycistis) Cockerell, Trans. Am. Ent. Soc., xxii, 291.
4975. ♂. Las Cruces, New Mexico.
- petricola** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 253.
4560. ♀. Mexico.
- phædra** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 251.
4575. ♀. Nevada.
- phaon** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 243.
4636. ♂. Arizona.

(MUTILLIDAE Continued)

- phœnix** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 247.
4639. ♀. Phoenix, Arizona.
- picus** (Photopsis) Cockerell, Trans. Am. Ent. Soc., xxii, 289. detached.]
4971. ♂. St. Augustine, New Mexico. [Anterior legs wanting; abdomen
- pluto** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 255.
4645. ♂. Texas.
- praeclara** (Sphaerophthalma) Blake, Trans. Am. Ent. Soc., xiii, 252.
4531. ♀. Arizona.
- progne** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 247.
4640. ♀. California.
- promethea** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 229.
4578. ♂. Louisiana.
- protracta** (Brachycistis) Bradley, Trans. Am. Ent. Soc., xliii, 270.
4973. ♂. Phoenix, Arizona. [Antennae damaged; genitalia mounted.]
- psammadroma** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 254.
4556. ♀. Mexico.
- pseudopappus** (Mutilla gloriosa) Cockerell, Psyche vii, Suppl. p. 6.
4960. ♀. Las Cruces, New Mexico.
- puteola** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 252.
4585. ♀. Texas.
- pygmea** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 250.
4616. ♀. Colorado.
- pyrrhus** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 243.
4635. ♂. Florida.
- quadridens** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 247.
4563. ♀. Panama.
- robinsoni** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 250.
4562. ♀. Mexico.
- rufiventris** (Myrmosa) Blake, Trans. Am. Ent. Soc., vii, 254.
4600. ♂. Nevada. [Abdomen detached.]
- rugulosa** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 240.
4629. ♀. Southern New Jersey.
- rustica** (Agama) Blake, Trans. Am. Ent. Soc., vii, 252.
4550. ♂. California. [Wings wanting.]
- rutilans** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 248.
4598. ♀. California. [Antennae damaged.]
- sanbornii** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 248.
4534. ♂. Massachusetts.
- sanctæ-feæ** (Mutilla) Cockerell & Fox, Proc. Acad. Nat. Sci. Phil., 1897, 137.
4968. ♀. New Mexico.
- sappho** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 239.
4628. ♀. Florida.

(MUTILLIDAE Continued)

- sarpedon** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 267.
4678. ♂. Texas.
- sayi** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 229.
4581. ♂. Texas.
- scaeva** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 232.
4564. ♂. Texas. [Fore and middle legs damaged.]
- scævolella** (Sphaerophthalma) Cockerell & Casad, Trans. Am. Ent. Soc., xxii, 298.
4957. ♀. Las Cruces, New Mexico.
- sercus** (Odontophotopsis) Viereck, Trans. Am. Ent. Soc., xxx, 87.
4979. ♂. Lower California.
- slossonæ** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 273.
4661. ♂. Florida.
- snoworum** (Sphaerophthalma) Cockerell & Fox, Proc. Acad. N. S. Phil., 1897, 135.
4961. ♂. Albuquerque, New Mexico.
- sobrinus** (Photopsis) Blake, Trans. Am. Ent. Soc., xiii, 268.
4596. ♂. Colorado. [Middle tarsi damaged.]
- sololo** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 243.
4502. ♀. Guatemala.
- somalica** (Mutilla) Fox, Proc. Acad. Nat. Sci. Phil., 1896, 548.
10370. ♀. Finik, N. E. Africa. [Head wanting.]
- sparsa** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 240.
4631. ♀. Colorado.
- subquadratus** (Brachycistis) Fox, Trans. Am. Ent. Soc., xxv, 282.
4668. ♂. California.
- subtenuis** (Odontophotopsis) Viereck, Trans. Am. Ent. Soc., xxx, 85.
4976. ♂. Texas.
- succineus** (Odontophotopsis) Viereck, Proc. Acad. Nat. Sci. Phil., liv, 741.
4987. ♂. La Jolla, California.
- tapajos** (Agama) Blake, Trans. Am. Ent. Soc., iii, 262.
4607. ♂. Texas.
- territus** (Photopsis) Cockerell, Ent. News, v, 200.
4989. ♂. Las Cruces, New Mexico.
- testaceipes** (Chyphotes) Fox, Trans. Am. Ent. Soc., xxv, 277.
4662. ♀. Phoenix, Arizona.
- testaceiventris** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 242.
4634. ♂. Poway, California. [Left antenna wanting.]
- texana** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 250.
4516. ♀. Texas.
- thamyras** (Mutilla) Fox, Trans. Am. Ent. Soc., xxv, 267.
4679. ♂. Texas. [Right antenna wanting.]

(MUTILLIDAE Continued)

- thetis** (Sphaerophthalma) Blake, Trans. Am. Ent. Soc., xiii, 214.
4528. ♀. Arizona.
- thoracica** (Mutilla) Blake, Trans. Am. Ent. Soc., xiii, 204.
4601. ♀. New York.
- tisiphone** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 249.
4495. ♀. Texas.
- tolteca** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 246.
4499. ♀. Mexico.
- toluca** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 242.
4500. ♀. Mexico.
- toumey** (Sphaerophthalma) Fox, Ent. News, v, 297.
4620. ♀. Tucson, Arizona.
- townsendi** (Sphaerophthalma) Cockerell, Ent. News, v, 199.
4963. ♂. Zuni River, New Mexico. [Left antenna wanting.]
- triangularis** (Agama) Blake, Trans. Am. Ent. Soc., iii, 262.
4546. ♂. Nevada. [Antennae wanting.]
- triangularis** (Brachycistis) Fox, Trans. Am. Ent. Soc., xxv, 284.
4672. ♂. Arizona. [Antennae damaged.]
- trunculus** (Odontophotopsis) Viereck, Trans. Am. Ent. Soc., xxx, 85.
4977. ♂. Texas. [Abdomen detached.]
- uro** (Agama) Blake, Trans. Am. Ent. Soc., vii, 253.
4547. ♂. Texas.
- venifica** (Sphaerophthalma) Blake, Trans. Am. Ent. Soc., xiii, 210.
4529. ♀. California.
- venustus** (Photopsis) Blake, Trans. Am. Ent. Soc., xiii, 270.
4606. ♂. Arizona. [Left antenna wanting.]
- virguncula** (Sphaerophthalma) Blake, Trans. Am. Ent. Soc., xiii, 253.
4567. ♀. New Mexico.
- waco** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 238.
4536. ♀. Texas.
- wickhami** (Sphaerophthalma) Cockerell & Casad, Trans. Am. Ent. Soc., xxii, 297.
4959. ♀. Houston, Texas.
- xalapa** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 249.
4510. ♂. Mexico.
- xalisco** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 245.
4507. ♀. Mexico. [Antennae wanting.]
- yucatan** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 231.
4588. ♀. Mexico.
- zapoteca** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 250.
4511. ♂. Mexico.
- zelaya** (Mutilla) Blake, Trans. Am. Ent. Soc., iii, 234.
4520. ♂. Texas.
- zenobia** (Mutilla) Blake, Trans. Am. Ent. Soc., vii, 250.
4541. ♀. California. [Thorax damaged; right middle leg wanting.]

SCOLIIDAE

- cubensis** (*Scolia*) Bartlett, Ann. Ent. Soc. Amer., v, 318.
4992. ♀. Cuba. [Apex of right antenna wanting; hind tarsi broken.]
- donaldsoni** (*Cosila*) Fox, Proc. Acad. Nat. Sci. Phil., 1896, 549.
10371. ♀. Sheikh Husein, N. E. Africa.
- fulviventris** (*Scolia*) Bartlett, Ann. Ent. Soc. Amer., v, 323.
4991. ♀. Florence, Arizona.
- odontogaster** (*Tiphia*) Viereck, Trans. Am. Ent. Soc., xxix, 71.
585. ♂. Beulah, New Mexico.
- thoracica** (*Myzine*) Fox, Can. Ent., xxv, 113.
10393. ♀. Illinois.

POMPILIDAE

- æneopurpureus** (*Pompilus*) Fox, Trans. Am. Ent. Soc., xviii, 339.
561. ♀. Portland, Jamaica.
- aerarium** (*Chlorion*) Patton, Can. Ent., xi, 133.
586. ♀. Plainville, Connecticut.
- agenioides** (*Priocnemis*) Fox, Jour. N. Y. Ent. Soc., i, 54.
4722. ♀. Southern Illinois.
- boguei** (*Pepsis*) Fox, Proc. Ent. Soc. Wash., iv, 146.
405. ♀. [Locality not given.]
- calcaratus** (*Planiceps*) Fox, Can. Ent., xxv, 115.
4721. ♂. Southern Florida.
- circularis** (*Pepsis*) Fox, Proc. Ent. Soc. Wash., iv, 144.
401. ♂. Texas.
- compressa** (*Agenia*) Fox, Trans. Am. Ent. Soc., xviii, 340.
484. ♂. Port Antonio, Jamaica.
- cressoni** (*Ceropales*) Fox, Trans. Am. Ent. Soc., xix, 58.
452. ♀. Nebraska.
- dubius** (*Planiceps*) Fox, Jour. N. Y. Ent. Soc., i, 55.
4720. ♂. Southern Florida.
- euphorbiæ** (*Agenia*) Viereck, Proc. Acad. Nat. Sci. Phil., 1902, 734.
483. ♂. San Pedro, California. [Antennae broken.]
- inermis** (*Pepsis*) Fox, Proc. Ent. Soc. Wash., iv, 146.
403. ♀. Texas.
- lucasii** (*Pepsis*) Fox, Proc. Ent. Soc. Wash., iv, 145.
402. ♀. Texas.
- minor** (*Planiceps*) Fox, Jour. N. Y. Ent. Soc., i, 55.
4719. ♀. Southern Florida.
- opacifrons** (*Salius*) Fox, Trans. Am. Ent. Soc., xviii, 340.
548. ♀. Portland, Jamaica.

(POMPILIDAE Continued)

- posterus** (Pompilus) Fox, Can. Ent., xxv, 115.
4717. ♀. Southern Florida.
- quaintancei** (Ceropales) Viereck, Ent. News, xiii, 275.
453. ♂. College Park, Maryland.
- relativus** (Pompilus) Fox, Can. Ent., xxv, 114.
412. ♀. Ocean City, New Jersey.
- somalicus** (Pompilus) Fox, Proc. Acad. Nat. Sci. Phil., 1896, 550.
4718. ♀. Somali Land, N. E. Africa. [Right antenna, fore leg and left hind tarsus wanting.]
- stretchii** (Ceropales) Fox, Trans. Am. Ent. Soc., xix, 52.
444. ♀. California. [Left antenna broken.]

SPHECIDAE

- abbottii** (Sphex) Fox, Ent. News, ii, p. 42.
597. ♀. Mt. Kilimanjaro, Africa.

LARRIDAE

- ✓ **aequalis** (Notogonia) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 486.
4758. ♀. New York. [Antennae damaged.]
- æqualis** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 517.
4780. ♂. Washington.
- americanus** (Miscophus) Fox, Ent. News, i, 138.
10399. ♀. Gloucester County, New Jersey. [Dirty.]
- amplius** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 522.
4785. ♀. Nevada.
- antennatus** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 516.
4779. ♀. Texas.
- apicalis** (Notogonia) Fox, Proc. Acad. Nat. Sci. Phil., 1896, 553.
10372. ♂. Sheikh Husein, N. E. Africa.
- apicalis** (Tachysphex) Fox, Jour. N. Y. Ent. Soc., i, 53.
4784. ♀. South Florida.
- ashmeadii** (Tachysphex) Fox, Proc. Acad. Nat. Sci., 1893, 509.
4773. ♀. San Diego, California.
- ✓ **asper** (Astatus) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 546.
4738. ♀. Montana.
- asperatus** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 516.
4778. ♀. Nevada.
- atlanticus** (Plenoculus) Viereck, Ent. News, xiii, 74.
10050. ♂. North Woodbury, New Jersey.
- aurantia** (Larra) Fox, Ent. News, ii, 194.
10405. ♀. Montana.

(LARRIDAE Continued)

- ✓ **bigeloviae** (Astatus) Cockerell & Fox, Proc. Acad. Nat. Sci. Phil., 1897, 138.
10051. ♀. Las Cruces, New Mexico.
- capax** (Ancistromma) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 490.
4759. ♀. Colorado.
- chilopsidis** (Ancistromma) Cockerell & Fox, Proc. Acad. Nat. Sci. Phil., 1897, 137.
10053. ♀. Rincon, New Mexico.
- clypeata** (Pisonopsis) Fox, Psyche, vi, 553.
4723. ♀. Nevada.
- cockerellii** (Plenoculus) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 538.
4735. ♀. Las Cruces, New Mexico.
- columbiae** (Tachytes) Fox, Trans. Am. Ent. Soc., xix, 241.
4767. ♀. District of Columbia.
- compactus** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 528.
4790. ♂. Vancouver, British Columbia.
- conferta** (Ancistromma) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 494.
4761. ♀. Montana.
- consimilis** (Ancistromma) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 496.
4762. ♀. Texas.
- consimilis** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 526.
4789. ♀. Montana.
- contractus** (Tachytes) Fox, Trans. Am. Ent. Soc., xix, 245.
4769. ♀. Georgia.
- crenulatus** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 512.
4775. ♀. Southern California.
- davisi** (Plenoculus) Fox, Psyche, vi, 554.
4732. ♀. Montana.
- decorus** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil. 1893, 524.
10056. ♀. Dakota.
- discreta** (Ancistromma) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 493.
4760. ♀. Georgia.
- dubius** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 515.
4777. ♂. Camden County, New Jersey.
- exornatus** (Tachytes) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 501.
4765. ♂. Las Cruces, New Mexico.
- exsectus** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 526.
4788. ♀. Montana.
- foxii** (Plenoculus) Viereck, Ent. News, xiii, 73.
10049. ♀. North Woodbury, New Jersey.
- fumipennis** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 518.
4782. ♀. North Florida.
- fuscus** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 519.
4783. ♀. Texas.

(LARRIDAE Continued)

- inusitatus** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 524.
4786. ♂. Colorado. [Left antenna wanting.]
- mandibularis** (Tachytes) Patton, Proc. Bost. Soc. N. H., xx, 394.
10054. ♀. New Haven, Connecticut.
- mergus** (Tachytes) Fox, Trans. Am. Ent. Soc., xix, 250.
4772. ♀. Camden County, New Jersey.
- minimus** (Tachytes) Fox, Trans. Am. Ent. Soc., xix, 248.
4795. ♂. Texas.
- mundus** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 531
4794. ♀. Illinois.
- nigrior** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 530.
4792. ♀. Washington.
- ✓ **nigripennis** (Notogonia) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 486.
4757. ♀. New York. [Antennae damaged.]
- nodosa** (Didineis) Fox, Ent. News, v, 127.
4815. ♂. Washington.
- obductus** (Tachytes) Fox, Trans. Am. Ent. Soc., xix, 250.
4771. ♀. Tennessee.
- ✓ **occidentalis** (Notogonia nigripennis) Viereck, Proc. Acad. N. S. Phil., 1902, 731.
10052. ♀. [No locality given.]
- parvus** (Plenoculus) Fox, Ent. News, viii, 71.
4734. ♀. Las Cruces, New Mexico.
- parvus** (Tachytes) Fox, Trans. Am. Ent. Soc., xix, 249.
4770. ♂. Camden County, New Jersey.
- pauxillus** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 530.
4793. ♀. California.
- peculiaris** (Didineis) Fox, Ent. News, v, 128.
4816. ♀. Montana.
- plenoculoides** (Niteliopsis) Fox, Psyche, vi, 555.
4740. ♀. New York.
- posterus** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 510.
4774. ♀. Washington. [Right antenna damaged.]
- prædator** (Tachytes) Fox, Trans. Am. Ent. Soc., xix, 240.
4766. ♀. Virginia.
- propinquus** (Plenoculus) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 536.
4733. ♀. Colorado.
- propinquus** (Tachysphex) Viereck, Ent. News, xv, 87.
10055. ♀. Florence, Arizona.
- ✓ **pygidalis** (Astatus) Fox, Can. Ent., xxiv, 234.
4737. ♀. Texas.
- rugosa** (Ancistromma) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 496.
4763. ♂. Montana.

(LARRIDAE Continued)

- ✓ **sayi** (Astatus) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 542.
4736. ♀. Virginia.
- sculptilis** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 517.
4781. ♀. Colorado.
- spatulatus** (Tachytes) Fox, Trans. Am. Ent. Soc., xix, 243.
4768. ♂. Nevada.
- spissatus** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 514.
4776. ♂. Southern California.
- tenuipunctus** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 525.
4787. ♀. Mt. Hood, Oregon.
- triquetrus** (Tachysphex) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 528.
4791. ♀. Nevada.
- vegeta** (Ancistromma) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 497.
4764. ♀. Colorado.

BEMBECIDAE

- connexus** (Bembex) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 360.
4832. ♂. Utah.
- exigua** (Monedula) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 370.
4838. ♀. Montana. [Right antenna wanting.]
- foxi** (Bembex) Parker, Proc. U. S. Nat. Mus., lii, 96.
10075. ♂. Illinois. [Left antenna wanting.]
- nigripes** (Steniola) Parker, Proc. U. S. Nat. Mus., lii, 8.
10543. ♂. Los Angeles, California.
- occidentalis** (Bembex) Fox, Proc. Cal. Ac. Sci. (2), iv, 10.
4834. ♀. Reno, Nevada.
- plana** (Monedula) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 367.
4837. ♂. Custer, South Dakota.
- pruinosa** (Bembex) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 361.
4833. ♂. Oregon.
- similans** (Bembex) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 358.
4831. ♂. Las Cruces, New Mexico.
- stenobdoma** (Bembex) Parker, Proc. U. S. Nat. Mus., lii, 94.
10544. ♂. Florence, Arizona.
- tuberculata** (Monedula) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 366.
4836. ♂. Nevada.
- u-scripta** (Bembex) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 362.
4835. ♂. Tucson, Arizona. [Antennae wanting.]
- usitata** (Monedula) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 371.
4840. ♂. Nevada.
- villosa** (Monedula) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 370.
4839. ♂. Lower Parissima, Lower California.

NYSSONIDAE

- albosignatus** (Gorytes) Fox, Can. Ent., xxiv, 152.
4807. ♀. Montana.
- asperatus** (Gorytes) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 534.
4808. ♀. Southern California.
- atricornis** (Gorytes) Packard, Proc. Ent. Soc. Phil., vi, 428.
10065. ♀. Massachusetts.
- atrifrons** (Gorytes) Fox, Can. Ent., xxiv, 151.
4806. ♀. Nevada.
- bigeloviæ** (Gorytes) Cockerell & Fox, Proc. Acad. Nat. Sci. Phil., 1897, 139.
10062. ♂. Las Cruces, New Mexico.
- canaliculatus** (Gorytes) Packard, Proc. Ent. Soc. Phil., vi, 428.
10066. ♀. Canada.
- confertus** (Gorytes) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 525.
4798. ♀. Montana.
- crucis** (Gorytes) Cockerell & Fox, Proc. Acad. Nat. Sci. Phil., 1897, 140.
10061. ♀. Las Cruces, New Mexico. [Abdomen wanting.]
- dæckeï** (Nysson) Viereck, Trans. Am. Ent. Soc., xxx, 238.
10074. ♂. Lucaston, New Jersey.
- decorus** (Gorytes) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 535.
4809. ♀. Montana.
- dentatus** (Gorytes) Fox, Can. Ent., xxv, 116.
4800. ♂. Grand Canyon, Arizona.
- denticulatus** (Gorytes) Packard, Proc. Ent. Soc. Phil., vi, 430.
10064. ♀. Louisiana. [Head wanting.]
- distinctus** (Bothynostethus) Fox, Ent. News, ii, 31.
4739. ♀. Camden County, New Jersey. [Right antenna wanting.]
- ephippiatus** (Gorytes) Packard, Proc. Ent. Soc. Phil., vi, 426.
10067. ♂. Illinois.
- fasciatus** (Gorytes) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 539.
4812. ♂. Colorado.
- flavicornis** (Gorytes) Packard, Proc. Ent. Soc. Phil., vi, 429.
10068. ♀. Massachusetts.
- insolitus** (Gorytes) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 532.
4803. ♂. Southern California.
- laminiferus** (Gorytes) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 532.
4805. ♂. Washington.
- laterale** (Nysson) Packard, Proc. Ent. Soc. Phil., vi, 440.
10071. ♂. Virginia.
- mirandus** (Gorytes) Fox, Can. Ent. xxiv, 152.
4804. ♂. Nevada.
- moneduloides** (Gorytes) Packard, Proc. Ent. Soc. Phil., vi, 431.
10060. ♂. Louisiana.

(NYSSONIDAE Continued)

- nebulosus** (Gorytes) Packard, Proc. Ent. Soc. Phil., vi, 424.
10063. ♀. New Jersey.
- nevadensis** (Gorytes) Fox, Can. Ent. xxiv, 150.
4810. ♀. Nevada.
- pictifrons** (Gorytes) Fox, Proc. Acad. Nat. Sci. Phil., 1893, 549.
4802. ♀. Washington.
- pigidialis** (Gorytes) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 528.
4801. ♀. Montana.
- radiatus** (Alyson) Fox, Ent. News, v, 87.
4813. ♀. Nevada.
- rufocinctus** (Gorytes) Fox, Can. Ent., xxiv, 153.
4797. ♀. Washington.
- rufoluteus** (Gorytes) Packard, Proc. Ent. Soc. Phil., vi, 425.
10069. ♀. Illinois.
- rufomaculatus** (Gorytes) Fox, Proc. Acad. Nat. Sci. Phil., 1895, 538.
4811. ♀. Dakota.
- simplicicornis** (Nysson) Fox, Jour. N. Y. Ent. Soc., iv, 15.
4818. ♂. Ingham County, Michigan.
- solani** (Nysson) Cockerell, Trans. Am. Ent. Soc., xxii, 294.
10070. ♀. Las Cruces, New Mexico.
- striatus** (Alyson) Fox, Ent. News, v, 88.
4814. ♂. District of Columbia.
- submellipes** (Nysson) Viereck, Trans. Am. Ent. Soc., xxx, 237.
10072. ♂. Riverton, New Jersey.
- subtilis** (Nysson) Fox, Jour. N. Y. Ent. Soc., iv, 14.
4817. ♂. Algonquin, Illinois.
- tramosericeus** (Nysson) Viereck, Trans. Am. Ent. Soc., xxx, 237.
10073. ♂. Lehigh Gap, Pennsylvania.

PHILANTHIDAE

- acanthophilus** (Cerceris) Cockerell, Entomologist, xxx, 135.
10038. ♂. Deming, New Mexico.
- austrina** (Cerceris) Fox, Psyche, vi, 556.
4756. ♀. Southern Florida.
- chapmanæ** (Eucerceris) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 86.
10395. ♂. White Oaks, New Mexico?
- chilopsides** (Cerceris) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 136.
10375. ♀. Rincon, New Mexico.
- cockerelli** (Cerceris) Viereck, Proc. Acad. Nat. Sci. Phil., 1902, 731.
10037. ♂. La Jolla, California.

(PHILANTHIDAE Continued)

- cockerelli** (*Philanthus punctatus*) Dunning, Ent. News, viii, 69,
10043. ♂. Las Cruces, New Mexico.
- convergens** (*Cerceris*) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 136.
10376. ♀. Alamogordo, New Mexico.
- crotoniphilus** (*Philanthus*) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 145.
10047. ♂. Las Cruces, New Mexico.
- elsiæ** (*Aphilanthops*) Dunning, Trans. Am. Ent. Soc., xxv, 23.
10357. ♀. California.
- erigoni** (*Cerceris*) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 139.
10377. ♂. Dripping Springs, Organ Mountain, New Mexico.
- eurynome** (*Philanthus*) Fox, Ent. News, i, 107.
10044. ♀. Florida.
- femur-rubrum** (*Cerceris*) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 135.
10040. ♂. Albuquerque, New Mexico.
- ferruginior** (*Cerceris*) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 134.
10378. ♂. Deming, New Mexico.
- fidelis** (*Cerceris*) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 132.
10379. ♀. Santa Fé, New Mexico.
- foxi** (*Aphilanthops*) Dunning, Trans. Am. Ent. Soc., xxv, 21.
10042. ♂. San Diego County, California.
- garciana** (*Cerceris*) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 135.
10380. ♂. Las Cruces, New Mexico.
- macrosticta** (*Cerceris*) Viereck & Cockerell, Jour. N. Y. Soc., xii, 133.
10381. ♀. New Mexico.
- nasica** (*Cerceris*) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 132.
10382. ♀. New Mexico.
- novomexicana** (*Cerceris*) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 137.
10383. ♀. Johnson Park, New Mexico.
- platyrhina** (*Cerceris*) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 133.
10384. ♀. Filmore Canyon, Organ Mountains, New Mexico.
- populorum** (*Cerceris*) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 135.
10385. ♂. Albuquerque, New Mexico.
- psyche** (*Philanthus*) Dunning, Ent. News, vii, 287.
10045. ♀. Las Cruces, New Mexico.
- punctinudus** (*Philanthus*) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 144.
10046. ♂. San Marcial, New Mexico.
- rhodops** (*Eucerceris fulviceps*) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 88.
10397. ♀. Pecos, New Mexico.
- rinconis** (*Cerceris*) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 137.
10386. ♀. Rincon, New Mexico.
- robertsonii** (*Cerceris*) Fox, Jour. N. Y. Ent. Soc., i, 55.
4755. ♀. Smithville, South Dakota.

(PHILANTHIDAE Continued)

- simulatrix** (Eucerceris) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 87.
10396. ♂. Las Vegas, New Mexico.
- striareata** (Eucerceris) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 85.
10398. ♀. White Oaks, New Mexico.
- subfrigidus** (Aphilanthops) Dunning, Trans. Am. Ent. Soc., xxv, 21.
10394. ♀. Nevada.
- taurululus** (Aphilanthops) Cockerell, Trans. Am. Ent. Soc., xxii, 293.
10041. ♂. Las Cruces, New Mexico. [Antennae broken.]
- vicinoides** (Cerceris) Viereck & Cockerell, Jour. N. Y. Ent. Soc., xii, 140.
10387. ♂. Pecos, New Mexico.

MIMESIDAE

- alticola** (Mimesa) Viereck, Trans. Am. Ent. Soc., xxix, 65.
515. ♀. Beulah, New Mexico.
- chalcifrons** (Psen) Packard, Proc. Ent. Soc. Phil., vi, 401.
10082. ♀. Illinois.
- clypeatus** (Psen) Fox, Trans. Am. Ent. Soc., xxv, 15.
4754. ♀. Nevada.
- cressonii** (Mimesa) Packard, Proc. Ent. Soc. Phil., vi, 405.
10080. ♀. New Jersey.
- cylindricus** (Psen) Fox, Trans. Am. Ent. Soc., xxv, 5.
4747. ♀. Arizona.
- denticulata** (Mimesa) Packard, Proc. Ent. Soc. Phil., vi, 406.
10081. ♂. Illinois.
- ferruginea** (Mimesa) Viereck, Trans. Am. Ent. Soc., xxvii, 341.
10078. ♂. Biscayne Bay, Florida.
- frontalis** (Psen) Fox, Trans. Am. Ent. Soc., xxv, 4.
4745. ♀. Utah.
- granulosus** (Psen) Fox, Trans. Am. Ent. Soc., xxv, 15.
4741. ♂. Montana.
- gregarius** (Psen) Fox, Trans. Am. Ent. Soc., xxv, 16.
4742. ♂. Colorado.
- johnsoni** (Mimesa) Viereck, Trans. Am. Ent. Soc., xxvii, 340.
10077. ♂. Riverton, New Jersey.
- kohlii** (Psen) Fox, Trans. Am. Ent. Soc., xxv, 9.
4751. ♀. Pennsylvania.
- longicornis** (Psen) Fox, Trans. Am. Ent. Soc., xxv, 8.
4750. ♂. Florida.
- maculipes** (Mimesa) Fox, Ent. News, xxv, 117.
4743. ♂. Southern Florida.

(MIMESIDAE Continued)

- mixtus** (Psen) Fox, Trans. Am. Ent. Soc., xxv, 7.
4749. ♀. Washington.
- niger** (Psen) Packard, Proc. Ent. Soc. Phil., vi, 399.
10079. ♀. Virginia. [Abdomen detached.]
- pauper** (Mimesa) Packard, Proc. Ent. Soc. Phil., vi, 409.
10083. ♂. Illinois.
- punctatus** (Psen) Fox, Trans. Am. Ent. Soc., xxv, 9.
4752. ♀. Colorado.
- regularus** (Psen) Fox, Trans. Am. Ent. Soc., xxv, 6.
4748. ♀. New Jersey. [Antennae damaged.]
- simplicicornis** (Psen) Fox, Trans. Am. Ent. Soc., xxv, 10.
4753. ♀. North Carolina.
- striatus** (Mimesa) Viereck, Trans. Am. Ent. Soc., xxvii, 339.
10076. ♀. Westville, New Jersey.
- suffusus** (Psen) Fox, Trans. Am. Ent. Soc., xxv, 18.
4744. ♀. New Mexico.
- trisulcus** (Psen) Fox, Trans. Am. Ent. Soc., xxv, 5.
4746. ♀. New Hampshire.

MELLINIDAE

- personatus** (Mellinus abdominalis) Fox, Ent. News, v, 202.
4796. ♀. Montana. [Right antenna wanting.]

PEMPHREDONIDAE

- americanus** (Stigmus) Packard, Proc. Ent. Soc. Phil., vi, 386.
10058. ♀. Illinois.
- anuglaris** (Pemphredon) Fox, Trans. Am. Ent. Soc., xix, 310.
4824. ♀. New Hampshire.
- armeniaceæ** (Passalœcus) Cockerell & Fox, Proc. Acad. Nat. Sci. Phil., 1897, 141
10057. ♀. Santa Fé, New Mexico.
- crassicornis** (Diodontus) Viereck, Trans. Am. Ent. Soc., xxx, 243.
10203. ♂. Corvallis, Oregon.
- dispar** (Passalœcus) Fox, Trans. Am. Ent. Soc., xix, 320.
4821. ♂. Nevada.
- distinctus** (Passalœcus) Fox, Trans. Am. Ent. Soc., xix, 319.
4820. ♂. Beverly, Massachusetts.
- flavitaris** (Diodontus) Fox, Trans. Am. Ent. Soc., xix, 316.
4828. ♂. Colorado. [Left antenna wanting.]
- fulvipes** (Stigmus) Fox, Trans. Am. Ent. Soc., xix, 324.
4823. ♀. Los Angeles, California.

(PEMPHREDONIDAE Continued)

- gillettei** (Diodontus) Fox, Trans. Am. Ent. Soc., xix, 316.
4829. ♀. Fort Collins, Colorado.
- inordinatus** (Stigmus) Fox, Trans. Am. Ent. Soc., xix, 322.
4822. ♀. Colorado.
- leguminiferus** (Diodontus) Cockerell & Fox, Proc. Acad. Nat. Sci. Phil., 1897, 141.
10059. ♂. Santa Fé, New Mexico.
- nigritus** (Diodontus) Fox, Trans. Am. Ent. Soc., xix, 317.
4830. ♀. Colorado.
- occidentalis** (Diodontus) Fox, Trans. Am. Ent. Soc., xix, 315.
4826. ♀. Southern California.
- relativus** (Passalæcus) Fox, Trans. Am. Ent. Soc., xix, 319.
4819. ♂. Colorado.
- rivertonensis** (Passalæcus) Viereck, Trans. Am. Ent. Soc., xxx, 243.
10202. ♂. Riverton, New Jersey.
- rugosus** (Diodontus) Fox, Trans. Am. Ent. Soc., xix, 315.
4827. ♀. Montana.
- tenax** (Pempredon) Fox, Trans. Am. Ent. Soc., xix, 313.
4825. ♀. Colorado.

CRABRONIDAE

- abdominalis** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 198.
4698. ♀. Texas.
- æqualis** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 164.
4691. ♀. Georgia. [Left antenna wanting.]
- albopilosum** (Trypoxylon) Fox, Trans. Am. Ent. Soc., xviii, 139.
4724. ♀. Pennsylvania.
- apicalis** (Trypoxylon) Fox, Trans. Am. Ent. Soc., xviii, 142.
4726. ♀. Canada.
- arizonense** (Trypoxylon) Fox, Trans. Am. Ent. Soc., xviii, 145.
4730. ♀. Arizona.
- armaticeps** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 185.
4706. ♂. Texas.
- asperatus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 199.
4699. ♂. Las Cruces, New Mexico. [Abdomen detached.]
- bidentatum** (Trypoxylon) Fox, Trans. Am. Ent. Soc., xviii, 143.
4727. ♀. Hount Hood, Oregon.
- boerhaviae** (Anacrabro) Cockerell, Can. Ent., xxvii, 308.
10001. ♂. Las Cruces, New Mexico.
- brunneipes** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 102.
10002. ♂. Pennsylvania.
- carinifrons** (Trypoxylon) Fox, Trans. Am. Ent. Soc., xviii, 142.
4731. ♀. Texas.

(CRABRONIDAE Continued)

- cinctellus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 136.
4682. ♀. Nevada.
- cingulatus** (Thyreopus) Packard, Proc. Ent. Soc. Phil., vi, 366.
4995. ♂. Illinois. [Antennae broken.]
- cladothricis** (Oxybelus) Cockerell, Can. Ent., xxvii, 309.
10024. ♂. Las Cruces, New Mexico.
- cognatus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 178.
4702. ♀. Montana.
- coloradensis** (Thyreopus) Packard, Proc. Ent. Soc. Phil., vi, 356.
10019. ♂. Colorado.
- confertus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 181.
4842. ♀. Colorado.
- cornutus** (Oxybelus) Robertson, Trans. Am. Ent. Soc., xvi, 80.
10026. ♂. Montana.
- corrugatus** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 107.
10003. ♀. West Virginia.
- cresoni** (Oxybelus) Robertson, Trans. Am. Ent. Soc., xvi, 83.
10032. ♀. Illinois. [Wings in poor condition.]
- cribrellifer** (Thyreopus) Packard, Proc. Ent. Soc. Phil., vi, 358.
10018. ♂. Illinois.
- cristatus** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 101.
4999. ♂. Colorado.
- cubiceps** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 105.
4998. ♀. Illinois.
- decorus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 200.
4700. ♀. Las Cruces, New Mexico.
- denticulatus** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 97.
10006. ♂. Virginia.
- dissifer** (Thyreopus) Packard, Proc. Ent. Soc. Phil., vi, 363.
10010. ♂. Illinois.
- errans** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 184.
4704. ♀. Colorado.
- excavatus** (Crabro) Fox, Ent. News, iii, 10.
4686. ♀. St. Augustine, Florida. [Right wings wanting.]
- flaviclypeus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 186.
4707. ♀. Colorado.
- flavitrochantericus** (Stenocrabro) Viereck, Trans. Am. Ent. Soc., xxx, 242.
10209. ♀. Riverton, New Jersey.
- forbesii** (Oxybelus) Robertson, Trans. Am. Ent. Soc., xvi, 85.
10022. ♂. Colorado.
- foveolineatus** (Crabro) Viereck, Proc. Ent. Soc. Wash., xi, 44.
4994. ♀. Shasta County, California.

(CRABRONIDAE Continued)

- frontalis** (Oxybelus) Robertson, Trans. Am. Ent. Soc., xvi, 83.
10034. ♀. Southern Illinois.
- fulvipes** (Oxybelus) Robertson, Trans. Am. Ent. Soc., xvi, 82.
10030. ♂. Orlando, Florida.
- gracilissimus** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 78.
10007. ♂. Colorado.
- harringtonii** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 195.
4696. ♀. Ottawa, Canada.
- hispidus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 192.
4715. ♀. Mount Hood, Oregon.
- incavus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 188.
4711. ♀. Colorado.
- incertus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 174.
4684. ♀. Texas.
- insolens** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 192.
4716. ♀. Colorado.
- largior** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 161.
4688. ♀. Nevada. [Right hind leg wanting.]
- latifrons** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 185.
4705. ♀. Texas.
- lenapeorum** (Entomognathus) Viereck, Trans. Am. Ent. Soc., xxx, 239.
10205. ♀. Lehigh Gap, Pennsylvania.
- lentus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 190.
4714. ♀. Algonquin, Illinois.
- maculiclypeus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 189.
4713. ♀. Colorado.
- medius** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 167.
4693. ♂. Washington.
- mexicanus** (Oxybelus) Robertson, Trans. Am. Ent. Soc., xvi, 83.
10035. ♀. Mexico.
- mucronatus** (Oxybelus) Packard, Proc. Ent. Soc. Phil., vi, 436.
10025. ♂. Illinois.
- nelli** (Stenocrabro) Viereck, Trans. Am. Ent. Soc., xxx, 241.
10200. ♀. Frankford, Philadelphia, Pennsylvania. [Abdomen wanting.]
- niger** (Oxybelus) Robertson, Trans. Am. Ent. Soc., xvi, 82.
10031. ♂. Illinois.
- nigrrior** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 196.
4697. ♀. New Hampshire.
- nitidiventris** (Crabro) Fox, Ent. News, iii, 9.
10400. ♀. Illinois. [Left wings wanting; hind tarsi broken.]
- occidentalis** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 200.
4701. ♀. Nevada.

(CRABRONIDAE Continued)

- ocellatus** (Anacrabro) Packard, Proc. Ent. Soc. Phil., vi, 68.
4996. ♀. Illinois.
- ornatipes** (Trypoxylon) Fox, Trans. Am. Ent. Soc., xviii, 148.
4729. ♂. District of Columbia.
- packardii** (Oxybelus) Robertson, Trans. Am. Ent. Soc., xvi, 80.
10027. ♀. Southern Illinois.
- pallidus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 163.
4690. ♀. Montana.
- panurgoides** (Anothyreus) Viereck, Trans. Am. Ent. Soc., xxx, 239.
10204. ♂. Lehigh Gap, Pennsylvania.
- parvulus** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 108.
10004. ♀. Colorado.
- paucimaculatus** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 90.
10011. ♀. Illinois.
- pauper** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 95.
10005. ♀. West Virginia. [Right antenna and abdomen wanting.]
- pictipes** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 187.
4710. ♂. Nevada.
- pinguis** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 186.
4708. ♀. Washington.
- planipes** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 193.
4694. ♂. Colorado.
- pleuralis** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 162.
4689. ♀. Vancouver, British Columbia.
- producticollis** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 76.
4997. ♂. New Jersey.
- projectum** (Trypoxylon) Fox, Trans. Am. Ent. Soc., xviii, 141.
4725. ♀. Louisiana.
- propinquus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 189.
4712. ♀. Texas.
- quadrangulus** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 85.
10015. ♀. Pennsylvania.
- 14-maculatus** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 87.
10016. ♂. Illinois.
- rubrocinctum** (Trypoxylon) Packard, Proc. Ent. Soc. Phil., vi, 416.
10048. ♀. Delaware.
- ruffemur** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 81.
10014. ♂. Illinois.
- rufigaster** (Rhopalum) Packard, Proc. Ent. Soc. Phil., vi, 382.
10020. ♀. Illinois.
- rufozonalis** (Trypoxylon) Fox, Trans. Am. Ent. Soc., xviii, 145.
4728. ♀. Colorado.

(CRABRONIDAE Continued)

- rugicollis** (Paranothyreus) Viereck, Trans. Am. Ent. Soc., xxx, 241.
10208. ♂. Riverton, New Jersey.
- sericeus** (Oxybelus) Robertson, Trans. Am. Ent. Soc., xvi, 81.
10029. ♀. Illinois.
- snowii** (Crabro) Fox, Trans. Am. Ent. Soc., xxiii, 79.
10401. ♀. Douglas County, Kansas.
- sparideus** (Oxybelus) Cockerell, Trans. Am. Ent. Soc., xxii, 292.
10036. ♂. Las Cruces, New Mexico.
- spinibuccus** (Crabro) Viereck, Proc. Ent. Soc. Wash., xi, 44.
4993. ♀. Havilah, California. [Antennae wanting.]
- spiniferus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 148.
4685. ♀. Washington.
- stirpicola** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 111.
10012. ♂. New York.
- subcornutus** (Oxybelus) Cockerell, Trans. Am. Ent. Soc., xxii, 293.
10033. ♀. Las Cruces, New Mexico.
- sulcus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 187.
4709. ♀. Beverly, Massachusetts.
- tarsalis** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 193.
4695. ♂. New York.
- tenuis** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 166.
4692. ♀. Colorado.
- texanus** (Oxybelus packardii) Robertson, Trans. Am. Ent. Soc., xvi, 81.
10028. ♀. Texas.
- trapezoideus** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 89.
10017. ♂. Illinois.
- tumidus** (Thyreopus) Packard, Proc. Ent. Soc. Phil., vi, 364.
10009. ♂. Pennsylvania.
- ventralis** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 183.
4703. ♀. Nevada.
- vernalis** (Thyreopus) Packard, Proc. Ent. Soc. Phil., vi, 369.
10008. ♀. Illinois.
- villosifrons** (Crabro) Packard, Proc. Ent. Soc. Phil., vi, 84.
10013. ♀. New Jersey.
- villosus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 158.
4687. ♀. California.
- virgatus** (Crabro) Fox, Trans. Am. Ent. Soc., xxii, 174.
4683. ♂. Nevada.

EUMENIDAE

- meridionalis** (Symmorphus) Viereck, Trans. Am. Ent. Soc., xxix, 69.
516. ♀. Beulah, New Mexico.
- slossonae** (Zethus) Fox, Ent. News, iii, 29.
4841. ♂. Southern Florida.

VESPIDAE

- bistriata** (Vespa) McFarland, Trans. Am. Ent. Soc., xv, 298.
10390. ♀. North America.
- fernaldi** (Vespa) Lewis, Trans. Am. Ent. Soc., xxiv, 173.
10391. ♀. Colorado. [Wings frayed.]
- scelesta** (Vespa) McFarland, Trans. Am. Ent. Soc., xv, 298.
10088. ♀. Montana.

ANDRENIDAE

- abacta** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 365.
4060. ♀. Texas.
- acrypta** (Pterandrena) Viereck, Can. Ent., xxxvi, 227.
4088. ♂. Corvallis, Oregon.
- advarians** (Andrena) Viereck, Can. Ent., xxxvi, 192.
4120. ♀. Vancouver, British Columbia
- aenigmus** (Prosopis) Viereck, Trans. Am. Ent. Soc., xxix, 64.
513. ♂. Beulah, New Mexico.
- alamonis** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 599.
4029. ♀. Alamogordo, New Mexico.
- albiculta** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 366.
4045. ♀. Southern California.
- albipennis** (Halictus) Robertson, Trans. Am. Ent. Soc., xvii, 317.
4251. ♀. Illinois.
- albofoveata** (Andrena) Graenicher, Can. Ent., xxxv, 166.
4058. ♀. Milwaukee, Wisconsin. [Legs wanting.]
- albuginosa** (Pterandrena) Viereck, Can. Ent., xxxvi, 227.
4105. ♀. Corvallis, Oregon.
- allegheensis** (Trachandrena) Viereck, Ent. News, xviii, 280.
10281. ♀. [Giles County, Virginia.] [Antennae broken.]
- amphibola** (Trachandrena) Viereck, Can. Ent., xxxvi, 158.
4096. ♀. Corvallis, Oregon. [Antennae wanting.]
- angusi** (Andrena) Viereck, Ent. News, xviii, 284.
10282. ♀. [No locality] [Antennae wanting.]
- angustitarsata** (Andrena) Viereck, Can. Ent., xxxvi, 189.
10283. ♀. Washington.

(ANDRENIDAE Continued)

- angustifovea** (Andrena) Viereck, Can. Ent., xxxvi, 194.
10286. ♂. Moscow, Idaho.
- argentiscopa** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 368.
4044. ♀. California. [Antennae wanting.]
- asininus** (Prosopis) Cockerell & Casid, Trans. Am. Ent. Soc., xxii, 299.
10090. ♂. Las Cruces, New Mexico.
- atala** (Andrena) Viereck, Trans. Am. Ent. Soc., xxix, 55.
10284. ♀. Beulah, New Mexico.
- auricauda** (Trachandrena) Viereck, Can. Ent., xxxvi, 159.
10285. ♀. Washington.
- austrocalifornica** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 587.
4020. ♀. Southern California. [Abdomen detached.]
- azygos** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 550.
4010. ♂. Cloudcroft, New Mexico.
- bancrofti** (Protoandrena) Dunning, Can. Ent., xxix, 264.
10211. ♀. Denver, Colorado. [Abdomen partly destroyed.]
- barbarica** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 369.
4065. ♀. Tazewell, Virginia.
- beulahensis** (Andrena) Viereck, Trans. Am. Ent. Soc., xxix, 52.
4108. ♀. Beulah, New Mexico.
- biscutellata** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 393.
4067. ♀. Fedor, Texas.
- bradleyi** (Andrena) Viereck, Ent. News, xviii, 285.
4085. ♀. Clementon, New Jersey.
- brevispinosus** (Colletes) Viereck, Trans. Am. Ent. Soc., xxix, 62.
510. ♀. Beulah, New Mexico.
- caliginosa** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 552.
4039. ♀. San José, California.
- carolina** (Andrena) Viereck, Ent. News, xx, 126.
4081. ♀. North Carolina.
- ceanothi** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 404.
4063. ♀. Lehigh Gap, Pennsylvania.
- chalybioides** (Parandrena) Viereck, Can. Ent., xxxvi, 229.
4103. ♂. Corvallis, Oregon.
- chapmanae** (Andrena) Viereck, Can. Ent., xxxvi, 223.
4121. ♀. Yosemite, California.
- chlorinella** (Andrena) Viereck, Can. Ent., xxxvi, 189.
4113. ♀. Corvallis, Oregon.
- chlorogaster** (Andrena) Viereck, Can. Ent., xxxvi, 196.
10288. ♀. Oregon.

(ANDRENIDAE Continued)

- citrinihirta** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 371.
4040. ♀. California. [Abdomen detached.]
- clandestinus** (Prosopis) Viereck, Trans. Am. Ent. Soc., xxix, 65.
514. ♂ Beulah, New Mexico.
- cleodora** (Trachandrena) Viereck, Can. Ent., xxxvi, 158.
10289. ♀. Mount Hood, Oregon.
- clypeopororia** (Andrena) Viereck, Can. Ent., xxxvi, 192.
10290. ♀. Olympia, Washington.
- coactipostica** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 372.
4037. ♀. Southern California.
- cockerelli** (Andrena) Graenicher, Can. Ent., xxxv, 163. [damaged.]
4073. ♀. Milwaukee, Wisconsin. [Antennae wanting, middle and hind legs]
- columbiana** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 374.
4038. ♀. Mission, British Columbia.
- complexa** (Pterandrena) Viereck, Can. Ent., xxxvi, 227.
4101. ♀. Corvallis, Oregon.
- complicata** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 554.
4042. ♀. San José, California.
- concinnula** (Parandrena) Cockerell, Trans. Am. Ent. Soc., xxv, 189.
10278. ♂. Southern California.
- confederata** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 375.
4072. ♀. Georgia.
- cornelli** (Andrena) Viereck, Ent. News, xviii, 282.
4090. ♀. Ithica, New York. [Antennae wanting.]
- cressonii** (Halictus) Robertson, Trans. Am. Ent. Soc., xvii, 317.
4253. ♀. Massachusetts.
- cristata** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 556.
4012. ♀. Nevada.
- crypta** (Pterandrena) Viereck, Can. Ent., xxxvi, 227.
4102. ♀. Corvallis, Oregon.
- daeckei** (Trachandrena) Viereck, Ent. News, xviii, 280.
4128. ♀. Clementon, New Jersey.
- davisi** (Andrena) Viereck, Ent. News, xviii, 283.
10292. ♀. Philadelphia, Pennsylvania.
- decussatula** (Andrena) Viereck, Can. Ent., xxxvi, 193.
4122. ♀. Vancouver, British Columbia.
- delodontus** (Colletes) Viereck, Trans. Am. Ent. Soc., xxix, 60.
509. ♀. Beulah, New Mexico.
- delta** (Andrena) Viereck, Trans. Am. Ent. Soc., xxix, 56. *n. n. n. didelta for delta Vier nec Kirby.
1908. Ent. News. 19: 42.*
4086. ♀. Beulah, New Mexico. [Abdomen detached.]
- determinata** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 394.
4970. ♀. North Andover, Massachusetts.

(ANDRENIDAE Continued)

- dunningi** (Prosopis) Cockerell, Entomologist, xxxi, 188.
10089. ♂. Volga, South Dakota.
- elongatula** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 378.
4056. ♂. Southern California.
- enocki** (Parandrena) Cockerell, Trans. Am. Ent. Soc., xxv, 189.
10277. ♂. Southern California.
- origenoides** (Pterandrena) Viereck, Can. Ent., xxxvi, 227.
4087. ♀. Corvallis, Oregon. [Abdomen detached.]
- eumorpha** (Parandrena) Cockerell, Trans. Am. Ent. Soc., xxv, 187.
10116. ♂. Southern California.
- forbesii** (Halictus) Robertson, Trans. Am. Ent. Soc., xvii, 315.
4257. ♀. Illinois.
- foxi** (Andrena) Cockerell, Trans. Am. Ent. Soc., xxv, 188.
10280. ♂. Southern California.
- fragariana** (Andrena) Graenicher, Ent. News, xv, 64.
4076. ♀. Milwaukee, Wisconsin. [Antennae wanting; legs damaged.]
- francisca** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 595.
4026. ♀. California. [Antennae wanting.]
- friesii** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 558.
4035. ♀. Southern California.
- fulvodorsata** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 384.
4059. ♀. Fedor, Lee County, Texas.
- fuscicauda** (Trachandrena) Viereck, Can. Ent., xxxvi, 159.
10293. ♀. Washington.
- fuscisignata** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 379.
4071. ♀. Orono, Maine.
- georgica** (Prosopis) Cockerell, Psyche, vii, 438.
10410. ♂. Georgia.
- gloriosa** (Megacilissa) Fox, Psyche, vi, 421.
10190. ♀. Las Cruces, New Mexico.
- gracilis** (Halictus) Robertson, Trans. Am. Ent. Soc., xvii, 316.
4255. ♀. Illinois.
- hadra** (Trachandrena) Viereck, Can. Ent., xxxvi, 158.
4093. ♀. Washington.
- harveyi** (Andrena) Viereck, Can. Ent., xxxvi, 192.
4089. ♀. Vancouver Island, British Columbia.
- helianthiformis** (Andrena) Viereck & Cockerell, Proc. U. S. Nat. Mus., xlviii, 26.
4084. ♀. Montana.
- hemileuca** (Andrena) Viereck, Can. Ent., xxxvi, 192.
10286. ♀. Seattle, Washington.

(ANDRENIDAE Continued)

- huardi** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 368.
4051. ♀. California.
- inclinata** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 559.
4033. ♀. California. [Antennae wanting.]
- indotata** (Andrena) Viereck, Can. Ent., xxxvi, 190.
10295. ♀ Washington Territory. [Renamed **perindotata**.]
- indotata** (Trachandrena) Viereck, Can. Ent., xxxvi, 158.
4095. ♀. Corvallis, Oregon.
- jennei** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 561.
4013. ♂. North Yakima, Washington.
- labiatifrons** (Prosopis) Cockerell, Psyche, vii, 437.
10408. ♂. Georgia.
- limarea** (Trachandrena) Viereck, Can. Ent., xxxvi, 159.
4094. ♀. Corvallis, Oregon.
- littlefieldi** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 563.
4014. ♂. Colorado Springs, Colorado.
- longihirtiscopa** (Andrena) Viereck, Can. Ent., xxxvi, 191.
4123. ♀. Vancouver Island, British Columbia.
- lovelii** (Conohalictoides) Viereck, Ent. News, xv, 245.
10201. ♂. Waldoboro, Maine.
- lummiorum** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 564.
4034. ♀. Vancouver, British Columbia.
- manitouensis** (Andrena) Viereck & Cockerell, Proc. U. S. Nat. Mus., xlviii, 31.
4117. ♂. Manitou, Colorado.
- marinus** (Halictus) Crawford, Ent. News, xv, 99.
10207. ♀. Ocean City, New Jersey.
- marioides** (Trachandrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 601.
4030. ♀. Nevada.
- mariposorum** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 382.
4050. ♀. Southern California. [Abdomen detached.]
- mellitarsis** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 384.
4057. ♂. Nevada.
- mendosa** (Parandrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 588.
4021. ♀. California.
- milwaukeensis** (Andrena) Graenicher, Can. Ent. xxxv, 164.
4079. ♀. Milwaukee, Wisconsin. [Antennae wanting; all legs except right middle, and left wings also wanting.]
- monogonoparia** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 566.
4015. ♂. Nevada.
- morrisonella** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 399.
4061. ♀. Georgia.

(ANDRENIDAE Continued)

- mulleri** (Halictoides) Cockerell, Trans. Am. Ent. Soc., xxv, 190.
10118. ♀. Southern California.
- multiplicatiformis** (Andrena) Viereck, Ent. News, xviii, 284.
10411. ♀. New York.
- nelumbonis** (Halictus) Robertson, Trans. Am. Ent. Soc., xvii, 316.
4258. ♀. Illinois.
- nelumbonis** (Prosopis) Robertson, Trans. Am. Soc., xvii, 318.
4259. ♀. Illinois.
- neonana** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 400.
4062. ♀. Georgia.
- neurona** (Andrena) Viereck, Can. Ent., xxxvi, 191.
10294. ♀. Seattle, Washington.
- niger** (Halictus) Viereck, Trans. Am. Ent. Soc., xxix, 57.
504. ♀. Beulah, New Mexico.
- nortoni** (Trachandrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 602.
4031. ♂. California.
- novae-angliae** (Andrena) Viereck, Ent. News, xviii, 283.
10270. ♀. Pocono Mountains, Pennsylvania.
- nubilifascia** (Ptilandrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 597.
4027. ♀. Southern California.
- nubilipennis** (Andrena) Viereck, Can. Ent., xxxvi, 193.
4124. ♀. Oregon.
- nucleolus** (Prosopis) Viereck, Trans. Am. Ent. Soc., xxix, 64.
512. ♀. Beulah, New Mexico.
- nudimediocornis** (Pterandrena) Viereck, Can. Ent., xxxvi, 227.
4097. ♀. Corvallis, Oregon.
- nudiscopa** (Pterandrena) Viereck, Can. Ent., xxxvi, 227.
4099. ♀. Corvallis, Oregon.
- obscuripostica** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 568.
4016. ♀. Nevada.
- olivacea** (Parandrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 590.
4022. ♀. Southern California. [Abdomen detached.]
- omninigra** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 385.
4046. ♀. California. [Antennae wanting; abdomen damaged.]
- omniscolor** (Pterandrena) Viereck, Can. Ent., xxxvi, 277.
4104. ♀. Corvallis, Oregon.
- oromontis** (Colletes) Viereck, Trans. Am. Ent. Soc., xxix, 62.
511. ♀. Beulah, New Mexico.
- oryx** (Halictoides) Viereck, Trans. Am. Ent. Soc., xxix, 49.
501. ♂. Beulah, New Mexico.
- pacta** (Andrena) Viereck, Trans. Am. Ent. Soc., xxix, 54.
4110. ♂. Beulah, New Mexico.

(ANDRENIDAE Continued)

- padoucorum** (Andrena) Viereck & Cockerell, Proc. U. S. Nat. Mus., xlviii, 38.
4118. ♂. Evergreen, Colorado.
- paenefulva** (Andrena) Viereck & Cockerell, Proc. U. S. Nat. Mus., xliii, 51.
4080. ♀. Colorado.
- pallidifovea** (Pterandrena) Viereck, Can. Ent., xxxvi, 227.
4100. ♀. Corvallis, Oregon.
- pallidiscopa** (Pterandrena) Viereck, Can. Ent., xxxvi, 227.
4098. ♀. Corvallis, Oregon.
- palustris** (Halictus) Robertson, Trans. Am. Ent. Soc., xvii, 317.
4252. ♀. Jefferson, New Hampshire.
- paniscus** (Colletes) Viereck, Trans. Am. Ent. Soc., xxix, 61.
508. ♂. Beulah, New Mexico.
- parachalybea** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 391.
4054. ♀. Southern California.
- pediculihirta** (Ptilandrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 598.
4028. ♀. Southern California.
- perchalybia** (Parandrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 591.
4023. ♀. Washington.
- perdensa** (Trachandrena) Viereck, Can. Ent., xxxvi, 158.
4092. ♀. Victoria, British Columbia.
- perindotata** (Andrena) Viereck, Ent. News, xix, 42.
10295. [New name for **indotata** (Andrena) Viereck.]
- persimilis** (Andrena) Graenicher, Ent. News, xv, 66.
10276. ♀. Milwaukee, Wisconsin.
- persimulata** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 390.
4069. ♀. Milwaukee, Wisconsin.
- phenax** (Andrena) Cockerell, Trans. Am. Ent. Soc., xxv, 188.
10279. ♀. Southern California.
- plana** (Andrena) Viereck, Can. Ent., xxxvi, 193.
4127. ♀. Corvallis, Oregon.
- profunda** (Andrena imitatrix) Viereck, Trans. Am. Ent. Soc., xliii, 398.
4064. ♀. Fedor, Texas.
- pulverea** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 569.
4043. ♀. California.
- pulverulenta** (Andrena) Viereck, Can. Ent., xxxvi, 195.
4112. ♀. Corvallis, Oregon.
- purpurina** (Andrena) Viereck & Cockerell, Proc. U. S. Nat. Mus., xlviii, 16.
4082. ♀. Colorado.
- 4-maculatus** (Halictus) Robertson, Trans. Am. Ent. Soc., xvii, 316.
4256. ♀. Waterbury, Connecticut.
- quintiliformis** (Trachandrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 606.
4032. ♀. Yosemite, California.

(ANDRENIDAE Continued)

- rehni** (Andrena) Viereck, Ent. News, xviii, 284.
4091. ♀. Lehigh Gap. Pennsylvania.
- saccata** (Andrena) Viereck, Can. Ent., xxxvi, 192.
4111. ♀. Corvallis, Oregon.
- sancta** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 571.
4017. ♀. California. [Antennae wanting.]
- saundersi** (Halictoides) Cockerell, Trans. Am. Ent. Soc., xxv, 189.
10120. ♀. Southern California.
- scurra** (Andrena) Viereck, Can. Ent., xxxvi, 193.
4119. ♀. Corvallis, Oregon.
- seattlensis** (Andrena) Viereck, Can. Ent., xxxvi, 191.
10296. ♀. Seattle, Washington.
- semifulva** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 575.
4048. ♀. California.
- seminigra** (Andrena) Viereck, Can. Ent., xxxvi, 190.
10297. ♀. Corvallis, Oregon.
- semipolita** (Andrena) Viereck, Can. Ent., xxxvi, 192.
10298. ♀. Washington.
- skinneri** (Colletes) Viereck, Trans. Am. Ent. Soc., xxix, 58.
505. ♀. Beulah, New Mexico.
- sola** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 577.
4047. ♀. Southern California.
- spiniferus** (Cryptohalictoides) Viereck, Ent. News, xv, 261.
10121. ♂. Nevada.
- spurcus** (Colletes) Viereck, Trans. Am. Ent. Soc., xxix, 59.
506. ♂. Beulah, New Mexico.
- stictigastra** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 579.
4036. ♀. Southern California. [Head partly destroyed.]
- subcandida** (Andrena) Viereck, Can. Ent., xxxvi, 193.
10299. ♀. Seattle, Washington.
- subchalybea** (Parandrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 593.
4024. ♀. Southern California. [Abdomen detached.]
- subdistans** (Andrena) Viereck, Can. Ent., xxxvi, 193.
4125. ♀. Corvallis, Oregon.
- subignita** (Augochlora) Cockerell, Trans. Am. Ent. Soc., xxiv, 145.
10268. ♀. San Rafael, Vera Cruz, Mexico.
- submoesta** (Parandrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 594.
4025. ♀. California.
- subnigripes** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 581.
4018. ♀. Southern California.
- taeniata** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 583.
4049. ♀. Southern California.

(ANDRENIDAE Continued)

- tegularis** (Halictus) Robertson, Trans. Am. Ent. Soc., xvii, 318.
4254. ♀. New Haven, Connecticut.
- thaspil** (Andrena) Graenicher, Can. Ent., xxxv, 162.
4068. ♀. Milwaukee, Wisconsin. [Antennae and hind legs wanting.]
- thaspiiformis** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 386.
4052. ♀. Southern California.
- theodori** (Dialictus) Crawford, Can. Ent., xxxiv, 318.
10091. ♀. Las Vegas, New Mexico.
- tincta** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 387.
4066. ♀. Georgetown, Colorado.
- tonkaworum** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 396.
4074. ♀. Texas.
- trachandrenoides** (Andrena) Viereck, Can. Ent., xxxvi, 190.
4115. ♂. British Columbia?
- tramoserica** (Andrena) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 553.
4011. ♀. Southern California.
- transnigra** (Andrena) Viereck, Can. Ent., xxxvi, 191.
10300. ♀. Seattle, Washington.
- trapezoidea** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 402.
4075. ♀. Texas.
- trifoliata** (Andrena) Cockerell, Can. Ent., xxviii, 179.
10212. ♀. Albuquerque, New Mexico.
- trivialis** (Andrena) Viereck, Trans. Am. Ent. Soc., xliii, 388.
4055. ♀. Southern California.
- trumani** (Andrena) Viereck & Cockerell, Proc. U. S. Nat. Mus., xlvi, 12.
4083. ♀. Volga, South Dakota.
- truncata** (Andrena) Viereck, Trans. Am. Ent. Soc., xxix, 52.
4109. ♀. Beulah, New Mexico.
- vernoni** (Andrena) Viereck, Can. Ent., xxxvi, 190.
4106. ♀. Vernon, British Columbia.
- vicinoides** (Andrena) Viereck, Can. Ent., xxxvi, 191.
4126. ♀. Victoria, British Columbia.
- vierecki** (Halictus) Crawford, Ent. News, xv, 97.
10206. ♀. Clementon, New Jersey.
- virgatus** (Halictoides) Cockerell, Trans. Am. Ent. Soc., xxv, 191.
10119. ♀. Southern California.
- wheeleri** (Andrena) Graenicher, Ent. News, xv, 65.
4078. ♀. Milwaukee, Wisconsin. [Hind tarsi damaged.]
- w-scripta** (Andrena) Viereck, Can. Ent., xxxvi, 193.
4116. ♀. Corvallis, Oregon.
- xanthostigma** (Andrena) Viereck, Can. Ent., xxxvi, 193.
4114. ♀. Corvallis, Oregon.

(ANDRENIDAE Continued)

- yaquiorum** (*Andrena*) Viereck, Trans. Am. Ent. Soc., xliii, 397.
4053. ♂. Mexico.
- yumorum** (*Andrena*) Viereck, Proc. Acad. Nat. Sci. Phila., 1916, 585.
4019. ♂. California.
- zonatus** (*Colletes*) Viereck, Trans. Am. Ent. Soc., xxix, 59.
507. ♂. Beulah, New Mexico.

APIDAE

- albovittata** (*Perdita*) Cockerell, Proc. Acad. Nat. Sci. Phil., 1895, 15.
10103. ♀. San Augustine, New Mexico.
- astori** (*Nomada*) Cockerell, Ann. Mag. Nat. Hist. (7), xii, 206.
10148. ♀. Corvallis, Oregon.
- atrofrontata** (*Nomada*) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 573.
10171. ♀. Southern California.
- austini** (*Perdita*) Cockerell, Proc. Acad. Nat. Sci. Phil., 1895, 13.
10099. ♂. Las Cruces, New Mexico.
- aztecorum** (*Nomada*) Cockerell, Proc. U. S. Nat. Mus., xli, 227.
10145. ♀. Amecameca, Mexico.
- azygos** (*Bombomelecta*) Viereck, Trans. Am. Ent. Soc., xxix, 181.
10128. ♂. Nevada.
- bifurcata** (*Nomada*) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 577.
10172. ♂. Southern California.
- bolsteri** (*Bombus*) Franklin, Trans. Am. Ent. Soc., xxxviii, 357.
10364. ♀. Bay of Islands, Newfoundland.
- bradleyi** (*Perdita*) Viereck, Ent. News, xviii, 393.
10115. ♂. Clementon, New Jersey.
- californiae** (*Nomada*) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 571.
10174. ♀. Southern California.
- canina** (*Perdita*) Cockerell, Proc. Acad. Nat. Sci. Phil., 1895, 17.
10113. ♂. Santa Fé, New Mexico.
- carolinæ** (*Nomada*) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 602.
10186. ♀. North Carolina. [Front of head & mouth destroyed.]
- citrinifrons** (*Panurginus*) Viereck, Tr. Am. Ent. Soc., xxix, p. 52.
10187. ♂. Beulah, New Mexico.
- clarkii** (*Nomada*) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 589.
10154. ♀. Corvallis, Oregon.
- coloradensis** (*Nomada*) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 603.
10185. ♀. Colorado.
- colorata** (*Megachile*) Fox, Proc. Acad. Nat. Sci. Phil., 1896, 557.
10367. ♀. Northeast Africa.

(APIDAE Continued)

- consultus** (Psithyrus) Franklin, Trans. Am. Ent. Soc., xxxviii, 459.
10363. ♂. Missoula, Montana.
- cordleyi** (Nomada) Cockerell, Ann. Mag. Nat. Hist., (7), xii, 445.
10151. ♂. Corvallis, Oregon.
- cordleyi** (Synhalonia) Viereck, Can. Ent., xxxvii, 316.
10271 ♂. Corvallis, Oregon.
- corvallisensis** (Nomada) Cockerell, Ann. Mag. Nat. Hist., (7), xii, 207.
10142. ♀. Corvallis, Oregon.
- crenulata** (Megachile) Fox, Proc. Acad. Nat. Sci. Phil., 1896, 558.
10545. ♂. Northeast Africa.
- cressoniana** (Synhalonia) Cockerell, Proc. Biol. Soc. Wash., xviii, 177.
10264. ♀. Texas.
- davidsoni** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 575.
10181. ♀. Southern California.
- decempunctata** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 565.
10182. ♂. Southern California.
- dolichos** (Coelioxys) Fox, Ent. News, i, 107.
10139. ♀. Florida.
- eisenii** (Centris) Fox, Pro. Cal. Ac. Sci. (2), iv, 22.
10191. ♀. Guaymas, Mexico.
- electella** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 612.
10180. ♀. Georgia.
- elrodi** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 583.
10173. ♂. Montana. [Abdomen wanting.]
- excellens** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 573.
10183. ♀. Southern California.
- excurrens** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 562.
10168. ♂. Los Angeles Co., California.
- fastigiata** (Ceratina) Fox, Proc. Acad. Nat. Sci. Phil., 1896, 556.
10373. ♀. Daro Mountains, Northeast Africa.
- flavodorsalis** (Bombus sonorus) Franklin, Trans. Am. Ent. Soc., xxxviii, 409.
10193. ♀. Southern California.
- formula** (Nomada) Viereck, Proc. Acad. Nat. Sci. Phil., 1902, 728.
10159. ♀. San Pedro, California. •
- fowleri** (Nomada) Cockerell, Ann. Mag. Nat. Hist., (7), xii, 204.
10144. ♀. Corvallis, Oregon.
- foxi** (Perdita) Cockerell, Proc. Acad. Nat. Sci. Phil., 1895, 18.
10105. ♂. Santa Fé, New Mexico.
- foxii** (Coelioxys) Viereck, Can. Ent., xxxiv, 325.
10137. ♀. Port Antonio, Jamaica.
- fraterculus** (Calliopsis) Cockerell, Can. Ent., xxxviii, 159.
10188. ♂. Albuquerque, New Mexico.

(APIDAE Continued)

- friesei** (Diadasia) Cockerell, Trans. Am. Ent. Soc., xxv, 192.
10135. ♀. Southern California.
- gerhardi** (Perdita) Viereck, Ent. News, xv, 21.
10094. ♀. East Chicago, Indiana.
- gibbosa** (Nomada) Viereck, Can. Ent., xxxvii, 285.
10166. ♂. Oregon.
- grayi** (Nomada) Cockerell, Ann. Mag. Nat. Hist., (7), xii, 203.
10149. ♀. Corvallis, Oregon.
- grindeliae** (Nomada) Cockerell, Am. Mag. Nat. Hist., (7), xii, 210.
10157. ♂. Lincoln, Nebraska.
- hemphilli** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 561.
10175. ♂. Southern California.
- hesperia** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 563.
10169. ♂. Southern California.
- hoodiana** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 608.
10163. ♀. Mount Hood, Oregon.
- imitatrix** (Xenoglossodes) Cockerell & Porter, Ann. Mag. Nat. Hist., (7), iv, 407
10131. ♂. Las Vegas, New Mexico.
- infrarubens** (Nomada vicinalis) Cockerell, Bull. 94, Colo. Exp. Sta., 84.
10143. ♂. Corvallis, Oregon.
- innuptus** (Calliopsis) Cockerell, Ent. News, vii, 222.
502. ♀. Colorado.
- interspersa** (Emphoropsis) Cockerell, Bull. So. Cal. Acad., iv, 99.
10270. ♂. California.
- kincaidiana** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 614.
10162. ♀. Washington.
- lehighensis** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 605.
10147. ♀. Lehigh Gap, Pennsylvania.
- lewisi** (Nomada) Cockerell, Ann. Mag. Nat. Hist., (7), xii, 205.
10150. ♀. Corvallis, Oregon.
- luteiceps** (Perdita) Cockerell, Proc. Acad. Nat. Sci. Phil., 1896, 74.
10097. ♂. Glenwood Springs, Colorado.
- luteola** (Perdita) Cockerell, Ent. News, 1894, 328.
10109. ♂. Las Cruces, New Mexico.
- maculata** (Bombomelecta separata) Viereck, Trans. Am. Ent. Soc., xxix, 181.
10127. ♀. Salt Lake City, Utah.
- magnifica** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 587.
10177. ♀. Colorado.
- manumuskin** (Megachile) Viereck, Can. Ent., xxxiv, 328.
10136. Manumuskin, New Jersey.

(APIDAE Continued)

- marginella** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 576.
10176. ♀. Southern California.
- martindalei** (Megachile) Fox, Tran. Am. Ent. Soc., xviii, 344.
10404. ♀. Kingston, Jamaica.
- martini** (Perdita) Cockerell, Proc. Acad. Nat. Sci. Phil., 1895, 14.
10102. ♂. Las Cruces, New Mexico.
- mexicanorum** (Perdita) Cockerell, Proc. Acad. Nat. Sci. Phil., 1896, 56.
10098. ♂. Mexico.
- miranda** (Melecta) Fox, Ent. News, iv, 143.
10129. ♀. Rapid City, South Dakota.
- modocorum** (Nomada) Cockerell, Ann. Mag. Nat. Hist. (7), xii, 444.
10153. ♂. Corvallis, Oregon.
- monardæ** (Perdita) Viereck, Ent. News, xv, 22.
10095. ♀. Riverton, New Jersey.
- multidens** (Megachile) Fox, Trans. Am. Ent. Soc., xviii, 345.
10402. ♀. Kingston, Jamaica.
- nevadensis** (Perdita) Cockerell, Proc. Acad. Nat. Sci. Phil., 1896, 58.
10106. ♀. Nevada.
- nigrinus** (Panurginus) Viereck, Trans. Am. Ent. Soc., xxix, 51.
503. ♀. Beulah, New Mexico.
- nigrior** (Nomada crotchii) Cockerell, Proc. Acad. Nat. Sci. Phila., 1903, 564.
10412. ♀. Southern California.
- nitidella** (Perdita) Cockerell, Proc. Acad. Nat. Sci. Phil., 1895, 16.
10100. ♂. Las Cruces, New Mexico.
- novæangliæ** (Perdita) Viereck, Ent. News, xviii, 394.
10114. ♂. Hyannis Point, Massachusetts.
- nubiterræ** (Anthophora) Viereck, Trans. Am. Ent. Soc., xxix, 46.
500. ♂. Beulah, New Mexico.
- nuda** (Perdita) Cockerell, Proc. Acad. Nat. Sci. Phila., 1896, 93.
10108. ♀. New Mexico.
- oliviæ** (Panurgus) Cockerell, Trans. Am. Ent. Soc., xxiv, 149.
10117. ♂. Las Cruces, New Mexico.
- oregonica** (Nomada) Cockerell, Ann. Mag. Nat. Hist., (7), xii, 205.
10152. ♀. Corvallis, Oregon.
- pænepectoralis** (Triepeolus) Viereck, Can. Ent., xxxvii, 278.
10124. ♀. Vancouver Island, British Columbia.
- palustris** (Melissodes) Robertson, Am. Nat., xxvi, 273.
10130. ♂. Carlinville, Illinois.
- patricia** (Xenoglossa) Cockerell, Can. Ent., xxviii, 191.
10134. ♂. Mesilla, New Mexico.
- pecosella** (Melissodes) Cockerell, Proc. Biol. Soc. Wash., xviii, 179.
10133. ♀. Pecos, New Mexico.

(APIDAE Continued)

- pedalis** (Megachile) Fox, Trans. Am. Ent. Soc., xviii, 347.
10549. ♂. Kingston, Jamaica. [Greasy.]
- penniger** (Nomada) Cockerell, Ent. News, v, 235.
10140. ♀? Las Cruces, New Mexico.
- perbella** (Gnathias) Viereck, Can. Ent., xxxvii, 282.
10167. ♀. Corvallis, Oregon.
- perpulchra** (Perdita) Cockerell, Proc. Acad. Nat. Sci. Phil., 1896, 99.
10110. ♀. Las Cruces, New Mexico.
- phymata** (Perdita) Cockerell, Proc. Acad. Nat. Sci. Phil., 1895, 12.
10112. ♀. Las Cruces, New Mexico.
- physura** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 599.
10178. ♂. Nevada.
- pimella** (Melissodes) Cockerell, Ann. Mag. Nat. Hist., (7), xvii, 363.
10132. ♂. Arizona.
- rehni** (Perdita) Cockerell, Ann. Mag. Nat. Hist., (7), xx, 131.
10093. ♀. Alamogordo, New Mexico.
- rhodalis** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 600.
10179. ♀. Nevada.
- rhodomelas** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 598.
10141. ♂. Corvallis, Oregon.
- rhodotricha** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 562.
10170. ♀. Southern California.
- rivertonensis** (Nomada modesta) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 610.
10158. ♀. Riverton, N. J.
- robertsonella** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 613.
10161. ♀. Nevada.
- rufoclypeus** (Epeolus) Fox, Trans. Am. Ent. Soc., xviii, 344.
10122. ♀. Kingston, Jamaica.
- rufula** (Nomada citrina) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 586.
10266. ♀. Grangeville, Idaho.
- rugosissima** (Emphoropsis) Cockerell, Proc. Biol. Soc. Wash., xviii, 182.
10267. ♀. Nevada.
- sandersoni** (Bombus vagans) Franklin, Trans. Am. Ent. Soc., xxxviii, 353.
10360. ♀. Durham, New Hampshire.
- semifulva** (Emphoropsis) Cockerell, Bull. So. Cal. Acad. Sci., iv, 99.
10265. ♂. California.
- semicrocea** (Perdita) Cockerell, Proc. Acad. Nat. Sci. Phil., 1895, 13.
10101. ♀. Las Cruces, New Mexico.

(APIDAE Continued)

- semirubra** (Heriades) Cockerell, Trans. Am. Ent. Soc., xxv, 198.
10125. ♂. Southern California.
- sexmaculata** (Perdita) Cockerell, Proc. Acad. Nat. Sci. Phil., 1895, 12.
10104. ♀. Santa Fé, New Mexico.
- slossoni** (Coelioxys) Viereck, Can. Ent., xxxiv, 327.
10138. ♀. Lake Worth, Florida.
- snowii** (Perdita) Cockerell, Proc. Acad. Nat. Sci. Phil., 1896, 73.
10096. ♀. Estes Park, Colorado.
- sphærogaster** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 611.
10156. ♀. Riverton, New Jersey.
- subalpinus** (Calliopsis) Cockerell, Ent. News, v, 235.
10189. ♂. Las Cruces, New Mexico.
- subgracilis** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 569.
10160. ♂. California.
- tiftonensis** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 610.
10165. ♂. Tifton, Georgia.
- tricolor** (Psithyrus) Franklin, Trans. Am. Ent. Soc., xxxvii, 167.
10362. ♂. Olympic Mountains, Washington.
- tristis** (Melissodes) Cockerell, Ent. News, v, 234.
10406. ♂. Las Cruces, New Mexico.
- tresignata** (Perdita) Cockerell, Proc. Acad. Nat. Sci. Phil., 1896, 76.
10107. ♀. California.
- tristicolor** (Epeolus) Viereck, Can. Ent., xxxvii, 280.
10123. ♀. Vancouver, British Columbia.
- ultima** (Nomada) Cockerell, Ann. Mag. Nat. Hist., (7), xii, 206.
10155. ♀. Corvallis, Oregon.
- ultimella** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 572.
10184. ♀. Southern California.
- vernonensis** (Melissodes menuacha) Viereck, Can. Ent., xxxvii, 319.
10273. ♀. Vernon, British Columbia.
- vierechi** (Perdita) Cockerell, Ann. Mag. Nat. Hist., (7), xx, 129.
10092. ♂. Alamogordo, New Mexico.
- washingtoni** (Nomada) Cockerell, Proc. Acad. Nat. Sci. Phil., 1903, 598.
10164. ♀. Washington.
- wootonæ** (Perdita) Cockerell, Ent. News, ix, 215.
10111. ♀. Tularosa, New Mexico.
- xylocopoides** (Centris) Fox, Proc. Acad. Nat. Sci. Phil., 1899, 70.
10192. ♀. Island of Trinidad, West Indies.
- zygos** (Bombomelecta) Viereck, Trans. Am. Ent. Soc., xxix, 179.
10126. ♀. California.

INDEX

Andrenidae	57	Mutillidae	31
Apidae	66	Nyssonidae	47
Bembecidae	46	Pemphredonidae	51
Braconidae	27	Philanthidae	48
Chalcididae	27	Pompilidae	42
Chrysididae	28	Proctotrupidae	28
Crabronidae	52	Scoliidae	42
Eumenidae	57	Sphecidae	43
Evaniidae	11	Stephanidae	27
Formicidae	31	Tenthredinidae	3
Ichneumonidae	11	Trigonalidae	11
Larridae	43	Uroceridae	10
Mellinidae	51	Vespidae	57
Mimesidae	50.		

SPECIES DESCRIBED BY S. FRANK AARON

CHRYSIDIDAE

Chrysis cobaltina.....	28	Chrysis tripartita.....	30
discreta.....	29	Cleptes insperata.....	29
dorsalis.....	29	speciosa.....	30
faceta.....	29	Diplorrhos plicatus.....	30
hirsuta.....	29	Elampus cressoni.....	29
inflata.....	29	variatus.....	30
inusitata.....	29	Hedychrum continuum.....	28
lateridentata.....	29	parvum.....	30
meta.....	29	Holopyga horus.....	29
montana.....	30	Notozus hyalinus.....	29
nortoni.....	30	intermedius.....	29
optima.....	30	nitidus.....	30
pattoni.....	30	productus.....	30
pellucidula.....	30	seminudus.....	30
peracuta.....	30	Omalus diversus.....	29
propria.....	30	semicircularis.....	30

SPECIES DESCRIBED BY WILLIAM H. ASHMEAD

CHALCIDAE

Bephrata cubensis.....	27	Euperilampus opacus.....	28
Isosoma montatnum.....	27	Kapala terminalis.....	28
nevadense.....	28	Isosomorpha tibialis.....	28

SPECIES DESCRIBED BY OSCAR C. BARTLET

SCOLIIDAE

Scolia cubensis.....	42	Scolia fulviventris.....	42
----------------------	----	--------------------------	----

SPECIES DESCRIBED BY CHARLES T. BRUES

PROTOTRUPIDAE

Anteon annulicornis.....	28	Chelognus grandis.....	28
Chelognus ferrugineus.....	28	Loxotropa modesta.....	28

SPECIES DESCRIBED BY CHARLES A. BLAKE

MUTILLIDAE

Agama alcanor.....	31	Agama imperialis.....	36
ampla.....	31	juxta.....	36
astyanax.....	32	melicausa.....	37
atrata.....	32	mendica.....	37
attenuata.....	32	minuta.....	37
aulus.....	32	nokomis.....	38
belfragei.....	32	orizaba.....	38
bicolor.....	33	pallida.....	38
contracta.....	34	rustica.....	39
danaus.....	34	tapajos.....	40
ferruginea.....	35	triangularis.....	41
hyalina.....	36	uro.....	41
		Chyphotes elevatus.....	34

Mutilla admetus	31	Mutilla marpesia	37
albopilosa	31	minutissima	37
altamira	31	mixtura	37
apicalata	32	mutata	37
ariadne	32	nortoni	38
aspasia	32	oajaca	38
auraria	32	oceola	38
auripes	32	ochracea	38
auripilis	32	parvula	38
azteca	32	petricola	38
balopilus	32	phædra	38
balteola	32	promethea	39
bexar	33	psammadroma	39
bisignata	33	puteola	39
brazoria	33	pygmea	39
briaxus	33	quadridens	39
canadensis	33	robinsonii	39
canella	33	rutilans	39
caneo	33	sanbornii	39
castor	33	sayi	40
chiapa	33	scaeva	40
chiron	33	sololo	40
cinoloa	33	texana	40
clio	34	thoracica	41
clotho	34	tisiphone	41
coccineohirta	34	tolteca	41
comanche	34	toluca	41
copano	34	waco	41
creon	34	xalapa	41
cressoni	34	xalisco	41
cubensis	34	yucatana	41
cypris	34	zapoteca	41
electra	34	zelaya	41
erato	35	zenobia	41
euterpe	35	Myrmosa rufiventris	39
eximia	35	Photopsis abdominalis	31
flavida	35	inconspicuus	36
floridensis	35	lepidus	37
formosa	35	melaniceps	37
gabbii	35	mellipes	37
gila	35	nebulosus	37
gorgon	35	sobrinus	40
gothica	35	venustus	41
grandiceps	35	Sphaerophthalma hispida	36
grotei	35	luteola	37
hector	36	macer	37
izucar	36	mollissima	37
laticeps	36	parmosa	38
leda	36	praeclara	39
leona	36	thetis	41
lerma	37	venifica	41
macilenta	37	virguncula	41

SPECIES DESCRIBED BY J. CHESTER BRADLEY

URO CERIDAE		EVANIIDAE	
Caenocephalus konowii	10	Deraiodontus flavicrurus	11
Sirex obesus	10	fuscalatus	11

Evania urbana 11
Foenus cressoni 11
 floridanus 11
 fragilis 11
 nevadae 11
 torridus 11

ICHNEUMONIDAE

Platylabus metallicus 20

SPECIES DESCRIBED BY T. D. A. COCKERELL

CHRYSIDIDAE

Chrysis mesillae 29
Parnopes festivus 29

MUTILLIDAE

Brachycistis elegantulus 34
 perpunctatus 38
Mutilla pseudopappus 39
 sanctae-feae 39
Photopsis picus 39
 territus 40
Sphaerophthalma donae-anae 34
 foxi 35
 hetrochroa 36
 myrmicoides 37
 scaevolella 40
 snovorum 40
 townsendi 41
 wickhami 41

LARRIDAE

Ancistromma chilopsidis 44
Astatus bigeloviae 44

NYSSONIDAE

Gorytes bigeloviae 47
 crucis 47
Nysson solani 48

PHILANTHIDAE

Aphilanthops taurulus 50
Cerceris acanthophilus 48

PEMPHREDONIDAE

Diodontus leguminiferus 52
Passaloeus armeniaca 51

CRABRONIDAE

Anacrabro boerhaviae 52
Oxybelus cladothricis 53
 sparideus 56
 subcornutus 56

ANDRENIDAE

Andrena foxii 60
 phenax 63
 trifoliata 65

MUTILLIDAE

Brachycistis protracta 39
Ephuta grisea 35
Timula barbigerata 32
Myrmosa blakei 33

Augochlora subignita 64
Halictoides mulleri 62
 saundersi 64
 virgatus 65
Parandrena concinnula 59
 enocki 60
 eumarpha 60
Prosopis asininus 58
 dunningi 60
 georgica 60
 labiatifrons 61

APIDAE

Calliopsis fraterculus 67
 innuptus 68
 subalpinus 71
Diadasia friesei 68
Emphoropsis interspersa 68
 rugosissima 70
 semifulva 70
Heriades semirubra 71
Melissodes pecosella 69
 pimella 70
 tristis 71
Nomada astori 66
 atrofrontata 66
 aztecorum 66
 bifurcata 66
 californiae 66
 carolinae 66
 clarkii 66
 coloradensis 66
 cordelyi 67
 corvallisensis 67
 davidsoni 67
 decempunctata 67
 electella 67
 elrodi 67
 excellens 67
 excurrens 67
 fowleri 67
 grayi 68
 grindeliae 68
 hemphilli 68
 hesperia 68

Nemada hoodiana	68	Perdita albovittata	66
infrarubens	68	austini	66
kincaidiana	68	carina	66
lehighensis	68	foxi	67
lewisi	68	luteiceps	68
magnifica	68	luteola	68
marginella	69	martini	69
modocorum	69	mexicanorum	69
nigrior	69	nevadensis	69
oregonica	69	nitidella	69
penniger	70	nuda	69
physura	70	perpulchra	70
rhodalis	70	phymata	70
rhodotricha	70	rehni	70
rhodomelas	70	semicrocea	70
rivertonensis	70	sexmaculata	71
robertsonella	70	snowii	70
rufula	70	tresignata	71
sphaerogaster	71	vierechi	71
subgracilis	71	wootonæ	71
tiftonensis	71	Panurgus oliviae	69
ultima	71	Synhalonia cressoniana	67
ultimella	71	Xenoglossodes imitatrix	68
washingtoni	71	patricia	69

SPECIES DESCRIBED BY J. C. CRAWFORD

APIDAE		Halictus marinus	61
Dialictus thoedori	65	vierecki	65

SPECIES DESCRIBED BY G. C. DAVIS

TRIGONALIDAE		Apimeles lusorius	19
Trygonalys sulcatus	11	Aplomerus nasonii	20
ICHNEUMONIDAE		Arotés apicatus	12
Adelognathus flavopictus	17	Asymmictus iridescens	19
Adexioma angularia	12	Ateleuti elongatus	16
Alexeter compos	14	Atithasus stellarius	25
notatus	21	Basus terminalis	25
Amblyteles torontosus	25	Boethus glabranotus	17
tricolor	26	Calliphurus granulosis	18
Anecphysis curvineura	15	Camerotops asperus	13
Anomalon alpinus	12	premitus	23
basilicon	13	Camponastes basilicus	13
bipartitana	13	Camplex occidentalis	21
clavatum	14	relectum	23
clavipes	14	Canidia luctus	19
edemae	16	Casinaria compacta	14
elongatum	16	Catastenus glabrifrons	18
fuliginosa	17	valerius	26
rotundus	24	Catoglyptus femoratus	16
smithii	25	Ceratosoma rubyata	24
suburbe	25	Chorinaeus constrictus	14
Aperileptus penuria	22	costatus	15
tropicus	26	excessorius	16
		onitis	21

Chorinaeus opacitus	22	Exotylus brevis	14
pusillus	23	cultus	15
Clepsiporthus flavidus	17	dakotaensis	15
truncatus	26	glaucus	18
Clistopyga alborhombarta	12	petiolarus	22
nigrophalus	21	sericeifrons	24
zonata	26	articulatus	13
Colpomeria litoralis	19	boreatis	14
Cre mastus aciculatus	12	contracta	14
ferrugineus	17	flaveus	17
granulatus	18	humeralis	18
nemorialis	20	nigreo	20
Ctenopelma pruinosa	23	nigroscutum	21
Deleter obscurus	21	Exyston politus	23
undulatus	26	rufinus	24
Diaborus ignipes	18	speciosus	25
nebraskensis	20	Glypta aldrichii	12
nigrocephalus	21	idahoensis	18
similis	24	impressa	18
Dialges fasciatus	16	longicauda	19
frontalis	17	nomene	21
rivalis	24	Hadro dactylus coxatus	15
tricolor	26	femoratus	16
Diedrus areolatus	12	Helictes ruficornis	24
labradorensis	19	Holmgrenia cressoni	15
Dizemon regalis	23	lanceolata	19
Echthrus adillae	12	picens	23
Eclytus perennis	22	Homaspis albipes	12
Epachtes basilicus	13	rhadmus	24
Erigloea excavata	16	Homotropus albopictus	12
opulenta	22	Hoplismenus transversus	26
Erromenus glabrosus	18	Hydro dactylus ruficornis	24
Eryma pilosa	23	Hyperacmus ovatus	22
Euceros faciens	16	Ichneumon blanchardi	13
obesa	21	faciens	16
sanguineus	24	nigrotergus	21
Eurylabus commodus	14	pacificus	22
osrufus	22	pygmaeus	23
separatus	24	Labrossyta frontosa	17
Euryproctus albocinctus	12	Lamachus contortionis	14
albopunctus	12	Lampronota angusta	12
bituminosus	13	annulata	12
curvator	15	bibrevicincta	13
dakotaensis	15	bullata	14
petiolatus	22	nigropicta	21
puritanicus	23	pallorana	22
ramis	23	sexcarinata	24
sentinis	24	Lathrolestes nasoni	20
sessilis	24	similis	24
Eusterinx negligere	20	Leptopygus orbis	22
Exetastes abbreviatus	11	Meniscus comptus	14
exploratus	16	johnsonii	19
Exochilum petiolatum	22	ostentator	22
Exochus flavifrontalis	17	slossonae	25
ostentatus	22	subflavus	25
solitarius	25	Mesoleius articularis	13
Exotylus aciculatus	11	audax	13
alamagnus	12	conformus	14
borealis	13	consors	14

SPECIES DESCRIBED BY WILLIAM J. FOX

ICHNEUMONIDAE		Mutilla rugulosa	39
Ichneumon discoensis	16	sappho	39
MUTILLIDAE		sarpedon	40
Brachycistis aequalis	31	slossonae	40
bimaculatus	33	somalica	40
brevis	33	sparsa	40
carinatus	33	testaceiventris	40
contiguus	34	thamyras	40
nevadensis	37	Myrmosa parvula	38
nigritus	38	Sphaerophthalma toumeyi	41
nudus	38	SCOLIIDAE	
subquadratus	40	Cosila donaldsoni	42
triangularis	41	Myzine thoracica	42
Chyphotes peninsularis	38	POMPILIDAE	
testaceipes	40	Agencia compressa	42
Methoca nigrior	38	Ceropales cressoni	42
Mutilla acontius	31	stretchii	43
adonis	31	Pepsis boguei	42
aeetis	31	circularis	42
agenor	31	inermis	42
albicincta	31	lucasii	42
alemon	31	Planiceps calcaratus	42
amphion	31	dubius	42
anguliceps	32	minor	42
athamas	32	Pompilus aeneopurpureus	42
barbata	32	posterus	43
bellerophon	32	relativus	43
bollii	33	somalicus	43
brevicornis	33	Priocnemis agenioides	42
cariniceps	33	Salius opacifrons	42
ceres	33	SPHECIDAE	
ceyx	33	Sphex abbottii	43
elytemnestra	35	LARRIDAE	
diomeda	34	Ancistromma capax	44
dirce	34	conferta	44
erigone	35	consimilis	44
geryon	35	discreta	44
halcyone	35	rugosa	45
harmonia	36	vegeta	46
harpalyce	36	Astatus asper	43
helicaon	36	pygidalis	45
hippodamia	36	sayi	46
hypermnestra	36	Didineis nodosa	45
ilione	36	peculiaris	45
laodamia	36	Larra aurantia	43
leda	36	Miscophus americanus	43
myrrha	37	Niteliopsis plenoculoides	45
nephele	37	Notogonia aequalis	43
nestor	37	apicalis	43
orestes	38	nigripennis	45
palamedes	38	Pisonopsis clypeata	44
phaon	38	Plenoculus cockerelii	44
phoenix	39	davisii	44
pluto	39		
progne	39		
pyrrhus	39		

Plenoculus parvus	45	Gorytes laminiferus	47
propinquus	45	mirandus	47
Tachysphex aequalis	43	nevadensis	48
amplus	43	pictifrons	48
antennatus	43	pigidialis	48
apicalis	43	rufocinctus	48
ashmeadii	43	rufomaculatus	48
asperatus	43	Nysson simplicicornis	48
compactus	44	subtilis	48
consimilis	44		
crenulatus	44	PHILANTHIDAE	
decorus	44	Cerceris austrina	48
dubius	44	robertsonii	49
exsectus	44	Philanthus eurynome	49
fumipennis	44		
fusus	44	MIMESIDAE	
inuitatus	45	Mimesa maculipes	50
mundus	45	Psen clypeatus	50
nigrior	45	cylindricus	50
pauillus	45	frontalis	50
posterus	45	granulosus	50
sculptilis	46	gregarius	50
spissatus	46	kohlii	50
tenuipunctus	46	longicornis	50
triquetrus	46	mixtus	51
Tachytes columbiae	44	punctatus	51
contractus	44	regularis	51
exornatus	44	simplicicornis	51
mergus	45	suffusus	51
minimus	45	trisulcus	51
obductus	45		
parvus	45	MELLINIDAE	
praedator	45	Mellinus personatus	51
spatulatus	46		
		PEMPHREDONIDAE	
BEMBECIDAE		Diodontus flavitarsus	51
Bembex connexus	46	gillettei	52
occidentalis	46	nigritus	52
pruinosa	46	occidentalis	52
similans	46	rugosus	52
u-scripta	46	Passaloecus dispar	51
Monedula exigua	46	distinctus	51
plana	46	relativus	52
tuberculata	46	Pemphredon angularis	51
usitata	46	tenax	52
villosa	46	Stigmus fulvipes	51
		inordinatus	52
NYSSONIDAE		CRABRONIDAE	
Alyson radiatus	48	Crabro abdominalis	52
striatus	48	aequalis	52
Bothynostethus distinctus	47	armaticeps	52
Gorytes albosignatus	47	asperatus	52
asperatus	47	cinctellus	53
atrifrons	47	cognatus	53
confertus	47	confertus	53
decorus	47	decorus	53
dentatus	47	errans	53
fasciatus	47	excavatus	53
insolitus	47		

SPECIES DESCRIBED BY H. J. MERRILL

ICHNEUMONIDAE

Pseudorhyssa sternata 25

SPECIES DESCRIBED BY W. H. LEWIS

VESPIDAE

Vespa fernaldi 57

SPECIES DESCRIBED BY J. MCFARLAND

VESPIDAE

Vespa bistrata 57 Vespa scelestia 57

SPECIES DESCRIBED BY A. D. MACGILLIVRAY

TENTHREDINIDAE

Tenthredo nigrifascia 8

SPECIES DESCRIBED BY C. L. MARLATT

TENTHREDINIDAE

Amauronematus excavatus	5	Pontania pacifica	8
oregonensis	8	stigmatalis	9
Nematus borealis	4	sulphurea	9
pergandei	8	truncata	9
pontanioides	8	Pristiphora carolinensis	4
Pachynematus affinis	3	coloradensis	5
apicalis	4	hoodii	6
aurantiacus	4	Pteronus antennatus	3
auratus	4	atriceps	4
carolinensis	4	auratus	4
graminis	6	bicolor	4
hoodii	6	californicus	4
nevadensis	7	coloradensis	5
occidentalis	8	foveatus	6
punctulatus	8	latus	7
robustus	8	magus	7
thoracicus	9	tricolor	9
Pontania atriventris	4	unicolor	10
cressoni	5	Scolioneura canadensis	4

SPECIES DESCRIBED BY EDWARD NORTON

TENTHREDINIDAE

Abia caprifolium	4	Atomacera ruficollis	4
kennicotti	6	Cladius simplicicornis	9
Allantus dejectus	5	Craesus laticulus	7
excavatus	5	latitarsus	7
unicinctus	10	Dictynna cordoviensis	5
varius	10	politus	8
		Dineura lateralis	6

Dineura linitus	7	Selandria inaequidens	6
parvus	8	longipennis	7
Dolerus coccinifera	5	medius	7
distinctus	5	nubilipennis	8
versa	10	obsoletum	8
yukonensis	10	sumichrasti	9
Dosytheus maculicollis	7	Strongylogaster annulosus	3
Emphytus versicolor	10	fulviventris	6
Fenusa curtus	5	lineatus	7
Hemichroa albidovariata	3	longulus	7
fraternalis	6	meritorius	7
Hylotoma ceruleus	4	multicinctus	7
consobrina	5	nigritorius	8
Lophyrus akhursti	3	pallidicornis	8
edwardsii	5	unicus	10
pinus-rigida	8	Taxonus albidopictus	3
Lyda abdominalis	3	amicus	3
brunnicans	4	Tenthredo attractus	4
fasciata	5	californicus	4
multisignata	7	dissimilis	5
semicinctus	9	eximius	5
Macrophya eurythmia	5	formosus	6
facialis	5	mutans	7
fuliginosus	6	pectoralis	8
omega	8	14-punctatus	8
tibiator	9	ruficolor	9
zonalis	10	rufopedibus	9
Messa hyalina	6	semirubra	9
Nematus brunneus	4	semirufus	9
erythrogaster	5	varians	10
extensicornis	5	variatu8	10
fallax	5	variegatus	10
hudsonicus	6	xanthus	10
labradoris	6	Trichiosoma lanuginosa	6
lateralis	7	Xyela aenea	3
luteolus	7	minor	7
malacus	7	tricolor	9
marylandicus	7	Zarea inflata	6
rufo-fasciata	9		
subalbatu8	9	URO CERIDAE	
trilineatus	9	Cephus cinctus	10
trivittatus	9	Phylloecus bimaculatus	10
winnepeg	10	clavata	10
Pachylota varicolor	10	Urocera cressoni	10
Perreyia capitulum	4	zonatus	11
Pristiphora identidem	6	Xiphidria attenuatus	10
idiota	6		
tibialis	9	ICHNEUMONIDAE	
Ptenos niger	7	Cryptus lophyri	19
nigropectus	8	Ophion cubensis	15
Ptilia texana	9		
Schizocerus ebenus	5	CHRYSIDIDAE	
privatus	8	Chrysis striatellus	30
sericeus	9	Elampus coruscans	28
Selandria capitalis	4	iridescens	29
caryae	4	versicolor	30
fasciatus	6	viridicyaneus	30
fascipennis	6	Hedychrum caeruleum	28
ignotus	6	cressoni	29
		louisianæ	29

SPECIES DESCRIBED BY HENRY SKINNER

ICHNEUMONIDAE

Metopius harbecki 18

SPECIES DESCRIBED BY EMILY A. SMITH

TENTHREDINIDAE

Euura salicicola 9

SPECIES DESCRIBED BY HENRY L. VIERECK

EVANIIDAE

Oleisopister subfirmus 11

ICHNEUMONIDAE

Agrothereutes cressoni	15	Rhyssa skinneri	25
ebenus	16	Spilocryptus exareolatus	16
iroquois	19	neomexicanus	30
Barichneumon duplicatiformis	16	Theronia mellipennis	20
Bathycetes nidia	20		
Chirotica inermis	19		
Cidaphurus cressonii	15		
Cratichneumon adonis	12		
artemis	13		
cockerelli	14		
gracilicornis	18		
pallidipennis	22		
patroclus	22		
pluto	23		
skinneri	24		
substrictus	25		
varitarsis	26		
Exochilum varicolor	26		
Glypta areolata	12		
Habrocryptus graenicheri	18		
Harrimaniella ariel	13		
minor	20		
relativa	23		
Limnerium australis	13		
obscuripes	21		
taeniolata	25		
Lissonota electra	16		
fenella	17		
Meniscus occidentalis	21		
Mesochorus areolatus	13		
Nadia apalachia	12		
Phaeogenes beulahensis	13		
Phygadeuon nortoni	21		
polita	23		
tumidiformis	26		
Pimpla neomexicana	20		
Plectiscidea contentionis	14		
Plesiognathus fragilis	17		
Porizon canaliculatus	14		
Psiloparia maculata	19		

BRACONIDAE

Agathis parvus	27
Anarcha micans	27
Chelonus australis	27
Meteorus agilis	27
mellinervus	27
Microdus meridionalis	27
Opius novæanglæ	27
Rhogas nigricoxis	27

CHALCIDIDAE

Trigonoderus varipes 28

PROTOTRUPIDAE

Scelio ashmeadi 28

CHRYSIDIDAE

Olochrysis semicuprea	30
Parnopes arizonensis	28
concinna	28
diadema	29
excurvata	29
tæniata	30

FORMICIDAE

Formica densiventris	31
Lasius subumbratus	31
Leptothorax obscurus	31

MUTILLIDAE

Odontophotopsis alamonis	31
augustus	32
avellanus	32
clandestinus	34
crucis	34
delodontus	34
exogyrus	35
fallax	35
indotatus	36

Odontophotopsis sercus	40	Crabro foveolineatus	53
subtenuis	40	spinibuccus	56
succineus	40	Entomognathus lenapeorum	54
trunculus	41	Paranothyreus rugicollis	56
Photomorphus alogus	31	Stenocrabro flavitrochantericus	53
johnsoni	36	nelli	54
SCOLIIDAE		EUMENIDAE	
Tiphia odontogaster	42	Symmorphus meridionalis	57
POMPILIDAE		ANDRENIDAE	
Agenia euphorbiae	42	Andrena abacta	57
Ceropales quaintancei	43	advarians	57
LARRIDAE		alamonis	57
Notogonia occidentalis	45	albiculta	57
Plenoculus atlanticus	43	angusi	57
foxii	44	angustifovea	58
Tachysphex propinquus	45	angustitarsata	57
NYSSONIDAE		argentscopa	58
Nysson daeckei	47	atala	58
submellipes	48	austrocalifornica	58
tramoserieus	48	azygos	58
PHILANTHIDAE		barbarica	58
Cerceris chilopsides	48	beulahensis	58
cockerelli	48	biscutellata	58
convergens	49	bradleyi	58
eriongoni	49	caliginosa	58
femur-rubrum	49	carolina	58
ferruginior	49	ceanothi	58
fidelis	49	chapmanae	58
garciana	49	chlorinella	58
macrosticta	49	chlorogaster	58
nasica	49	citrinihita	59
novomexicana	49	clypeopororia	59
platyrhina	49	coactipostica	59
populorum	49	columbiana	59
rinconis	49	complicata	59
vicinoides	50	confederata	59
Eucerceris chapmanae	48	cornelli	59
rhodops	49	cristata	59
simulatrix	50	davisii	59
striareata	50	decussatula	59
Philanthus crotoniphilus	49	delta	59
punctinudus	49	determinata	59
MIMESIDAE		elongatula	60
Mimesa alticola	50	francisca	60
ferruginea	50	friesii	60
johnsoni	50	fulvodorsata	60
striatus	51	fuscisignata	60
PEMPHREDONIDAE		harveyi	60
Diodontus crassicornis	51	helianthiformis	60
Passalæcus rivertonensis	52	hemileuca	60
CRABRONIDAE		huardi	61
Anothyreus panurgoides	55	inclinata	61
		indotata	61
		jenneti	61
		littlefieldi	61
		longihirtiscopa	61
		lummiorum	61

Andrena manitouensis	61	Conohalctoides lovellii	61
mariposorum	61	Cryptohalictoides spiniferus	64
mellitarsis	61	Halictus niger	62
monogonoparia	61	Halictoides oryx	62
morrisonella	61	Parandrena chalybioides	58
multiplicatiformis	62	mendosa	61
neonana	62	olivacea	62
neuroni	62	perchalybia	63
novaeangliae	62	subchalybea	64
nubilipennis	62	submoesta	64
obscuripostica	62	Prosopis aenigmus	57
omnigrata	62	clandestinus	59
pacta	62	nucleolus	62
padoucorum	63	Pterandrena acrypta	57
paenefulva	63	albuginosa	57
parachalybea	63	complexa	59
perindotata	63	crypta	59
persimulata	63	erigenoides	60
plana	63	nudimediocornis	62
profunda	63	nudiscopa	62
pulverea	63	oniscicolor	62
pulverulenta	63	pallidifovea	63
purpurina	63	pallidiscopa	63
rheni	64	Ptilandrena nubilifascia	62
saccata	64	pediculihirta	63
sancta	64	Trachandrena alleghiensis	57
scurra	64	amphibola	57
seattlensis	64	auricauda	58
semifulva	64	cleodora	59
seminigra	64	daeckei	59
semipolita	64	fuscicauda	60
sola	64	hadra	60
stictigastria	64	indotata	61
subcandida	64	limarea	61
subdistans	64	marioides	61
subnigripes	64	nortoni	62
taeniata	64	perdensa	63
thaspiiiformis	65	quintiliformis	63
tincta	65		
tonkaworum	65	APIDAE	
trachandrenoides	65	Anthophora nubiterræ	69
tramoserica	65	Bombomelecta azygos	66
transnigra	65	maculata	68
trapezoidea	65	zygos	71
trivialis	65	Coelioxys foxii	67
trumani	65	slossoni	71
truncata	65	Epeolus tristicolor	71
vernoni	65	Gnathias perbella	70
vicinoides	65	Megachile manumuskin	68
w-scripta	65	Melissodes vernonensis	71
xanthostigma	65	Nomada formula	67
yaquiorum	66	gibbosa	68
yumorum	66	Perdita bradleyi	66
Colletes brevispinosus	58	gerhardi	68
delodontus	59	monardæ	69
oromontis	62	novæangliæ	69
paniscus	63	Panurginus citrinifrons	66
skinneri	64	nigrinus	69
spurcus	64	Synhalonia cordleyi	67
zonatus	66	Triepeolus pænepectoralis	69

SPECIES DESCRIBED BY CLARENCE M. WEED

ICHNEUMONIDAE

Cremastus cookii..... 15

Microplitis maurus..... 27

terminatus..... 27

BRACONIDAE

Apanteles ornigis..... 27